

## laRhea V<sup>+</sup> doppio&cup



### SERVICE BOOK

**preliminary  
safety  
information**

before using the machine, carefully read this information that helps you behave properly and guarantee a safe use;  
the following pages use the symbols listed here below, whose meaning is of attention:

**GENERAL;**

if the text is highlighted by this symbol, it is recommended to pay special attention to the performance of the procedures described; if not carefully performed on safe conditions, they can be source of general danger;

**HIGH VOLTAGE;**

if not properly performed, the actions marked by this symbol may expose to accidental contacts with electric voltage;

**DANGEROUS TEMPERATURE;**

if not properly performed, the actions marked by this symbol may expose to accidental contacts with high-temperature parts;

**MOVING MEMBERS;**

if not properly carried out, the actions marked by this symbol may expose to accidental contacts with moving members;

the same symbols are placed inside the vending machine to indicate the parts on which to act with the utmost caution;

**NON-IONIZING RADIATION;**

the people with cardiac pacemaker or similar medical devices shall not be near the / in the proximity of the machine when it is dispensing a drink and it is free of any external metal protection; if in any doubt, to avoid any danger, consult a physician before using this vending machine;

**SERVICE KEY IN USE;**

the symbol recommends the utmost attention during the actions described; the use of the service key intended to activate all machine functions when the door is open is only reserved to the technical operators who know the operation of the vending machine, who are aware of potential risks and who make sure they are operating on totally safe conditions;

the use of the service key shall be strictly limited to the time necessary to perform the actions requiring the use thereof; users shall be informed of the prohibition on using and approaching the vending machine;

**WEIGHT:**

the symbol reminds the user to consider the machine weight carefully for handling and placing it definitively;

**WATER SUPPLY;**


it marks the parts duly requiring caution in case of leakage, if connected with the hydraulic network;

**SUPPORT SURFACE;**

it reminds the user to install the machine on a support surface, the max. inclination of which is 2°;

**safety rules for using the vending machine**

- \* \* \* pay special attention to the chapters and notes highlighted by the symbols of alert; strictly observe the rules concerning, in particular, the operators' and users' safety;
- \* \* \* the vending machine may be used by children who are at least 8 years old and by people having reduced physical, sensory or mental capacities or not having all necessary experience and knowledge, provided that they are under supervision or after they have received all necessary instructions for using the machine on safe conditions and for understanding the dangers related thereto; children must be supervised and prevented from playing with the vending machine;  
cleaning and servicing shall not be carried out by children;
- \* \* \* if you should find out a water leak or the presence of smoke, immediately detach the vending machine from the electric and hydraulic network, never try to restore its operation and apply to skilled technicians;
- \* \* \* the machine shall be installed according to national rules; pay special attention to the rules about the machines directly connected with the hydraulic network;
- \* \* \* room (during storage and operation):  
temperature: 5 °C ÷ 30 °C  
relative humidity: max 80 %
- \* \* \* the inclination of the vending machine support surface shall not exceed 2°;
- \* \* \* if the hydraulic connection tube is not supplied with the machine or in case of replacement, the connection must be carried out only with:
  - new tube;
  - of type-approved material for food use;
  - compliant with "IEC 61770 Electric appliances connected to the water mains";
  - it can support the working pressure;
- \* \* \* the user is not allowed to access the maintaining and servicing area that shall be properly signalled;
- \* \* \* never remove protections, never override safety devices and never modify the machine or its components;
- \* \* \* tools necessary to act with this vending machine:
  - a pair of scissors for electricians, a Phillips PH2 cross screwdriver for 4/6 mm self-threading screws, a set of wrenches up to 13 mm, a set of Allen wrenches from 2 to 8 mm;
  - it may be of use to procure some expendables, such as disposable paper, single-use gloves, clean cloths, cups and a bucket for the collection of waste water;
- \* \* \* never wash the machine by using water jets; the vending machine is not suitable for installation in areas where it can be reached by water jets;
- \* \* \* for cleaning at regular intervals refer to Service Manual - chapter 12;

**residual risks**

a residual risk is understood as a potential danger that can not be eliminated and it persists despite all precautions in use since it is related to the intrinsic features of the product and it also includes non-identifiable risks;

the actions and behaviours listed here below are intended to reduce residual risks and you shall always adopt them when interacting with the machine;



wear clothes that can properly avoid any accident (never wear rings, chains, clothes with laces or excessively long sleeves, ...);



carefully evaluate the treatment of residues from installation (wood, plastics, ...) and utilisation (product powder, bags, ...);



never repair or carry out any technical action if you have not been properly trained;



signal that a technical action is in progress on the machine (barriers against approach, signs, ...), carry it out quickly without leaving the station;



install the machine in a sheltered, illuminated, ventilated and noiseless environment; keep it clean and never place tools or any other object on it; never install it outdoors or, anyway, never expose it to atmospheric agents;



make sure it can be neither reached by water sprays or vapours nor hit by objects that might damage it;



carefully consider the machine weight and stability during the installation and in the final working position;



supply the machine within voltage, temperature, pressure and hydraulic limits, ... as it is detailed on the following pages and provide for an effective earthing;



even if detached from supply, the machine may contain hot pressurised water at a high temperature;



never detach hydraulic and electric supplies when they are active;

**general  
guarantee  
conditions**

these conditions regulate Rheavendors Industries S.p.A.'s obligations with reference to guarantee and repair; any other term or condition, either verbal or written, is not applicable, including those in the purchaser's purchase orders, if not explicitly accepted and signed by Rheavendors Industries S.p.A.; if the guarantee terms here below should be held not to be valid and/or lawful in the Country where the product is sold, they will not be effective whereas all the other clauses will remain valid and applicable;

- 1st the mechanical and electronic components of the machine are guaranteed for twelve months, starting from the sales date certified by the fiscal receipt;
- 2nd the guarantee shall be understood as the free replacement or repair of any part of the machine that – at the manufacturer's unquestionable discretion – should prove to be originally defective due to manufacturing defects; the cost of sending the manufacturer machines, defective pieces and spare parts will be totally charged to the user's account; the manufacturer reserves the right to use new or reconditioned components for repair; if replaced, original components will be guaranteed for 12 months; the parts replaced under guarantee will become the property of Rheavendors Services S.p.A. (request for "Form PO 19.01/2b" Materials under guarantee – Authorisation to return);
- 3rd in case of irreparable failure or if a failure of the same origin is repeated, the manufacturer may – at its unquestionable discretion – replace the machine with another one, the model of which is either the same or an equivalent one; the guarantee of the new machine will be extended up to the original term of guarantee of the replaced machine;
- 4th all the parts that should prove to be defective due to negligence or carelessness (non-observance of the instructions for the operation of the machine), incorrect installation or maintenance by unauthorised personnel, transport damage or any circumstance – anyway – not due to the manufacturing defects of the machine are not covered by guarantee; the installation and connection with supply plants as well as the maintenance operations mentioned by the installation manual are also excluded from any performance under guarantee; the guarantee will not cover payment systems either; whether installed on the machine or supplied as an accessory, they are subject to their manufacturer's guarantee whereas Rheavendors Industries S.p.A. will just act as a broker;  
all changes made to the machine and not agreed with the manufacturer in writing will involve the immediate termination of the guarantee period and anyway fall under the Customer's total responsibility;
- 5th the guarantee is excluded in all cases of improper use of the machine;
- 6th Rheavendors Industries S.p.A. will disclaim all responsibility for any damage that may be directly or indirectly caused to people, animals or things as a result of:  
improper use of the vending machine; incorrect installation; improper energy or water supply; serious maintenance deficiency; actions or changes not explicitly authorised; use of non original spare parts;
- 7th in case of failure, Rheavendors Industries S.p.A. is obliged neither to compensate any economic damage due a forced stop of the machine nor to extend the guarantee period;  
if the machine should be transferred to a centre designated by the manufacturer for overhaul or repair, the relative transportation risks and costs will be charged to the user's account. The freight charges of machines, defective pieces and spare parts are always understood as charged to the user's account;

**Preventive maintenance:**

Preventive maintenance is performed periodically in order to reduce the incidence of equipment failure and the costs associated with it.


Ideally, preventive maintenance will take place just before failure occurs in order to maximize the time that equipment is in use between scheduled maintenance activities.

It is the preset check of the vending machines and all the replacements required to ensure the quality of products and to maintain the optimum performance of reliability of the vending machines series laRhea.

**Scheduled PM (Preventive Maintenance) Program Overview:**

the purpose of scheduled Preventive Maintenance is to avoid or reduce emergency service costs by implementing a standardized regular interval of Preventive Maintenance.

the bathtub curve is typically used as a visual model to illustrate the three key periods of product failure.



**note:** preventive maintenance increases the useful lifetime of the machine; the mean-time-to-failure (MTTF) or bathtub curve indicates that a new machine has higher probability of failure during the first two weeks of operations, usually caused by setting issues. Following this initial period, the probability of failure is low for an extended period of time.

After this normal machine life period, the probability of failure increases sharply with elapsed time of hours of operations. Preventive maintenance is based on replacing components after a certain length of time or amount of use to extend the operating life of machines.

The following pages summarize the scheduled preventive maintenance suggested for Rhea Machines; the level of PM performed will be determined by cycle count accumulations or months since the first installation.

**Use only official Rheavendors spare parts**

**CLEANING.** Cleaning of the machine is mandatory for a correct maintenance of the machine. It must be considered as an active part of the preventive maintenance.

## Concept of “preventive maintenance”

The components and assembly parts included in the preventive maintenance kit for Rhea machines are conceived according to our experience and considering:

1. Use cases: the cycles required by Rheavendors refer to standard conditions of indoor use and can't be considered valid in case, for example, of use of the machines in particularly wet environments, hot or dusty location
2. Wear and tear of the components at distribution stage
3. Wear and tear of the components with time
4. Natural deterioration of materials due to the different work cycles (daily consumptions) inside the machines
5. Changes in the performances due to the raise of damaging elements for the components themselves, such as:
  - scale (water filter is recommended)
  - different consistency of the coffee beans
  - remains of coffee inside the grinders for a long inactivity time
  - cleaning of the machine
6. Sizing of the machines according to the number of consumptions per day
7. Observance of the easy cleaning procedure during each loading in the vending case
8. Observance of the deep cleaning and sanitization procedures of the machines, that allows to work under the existing sanitary-hygiene regulations.

**Note that HACCP rules are not mentioned in this document. Please refer to the specific rules of your country.**

In the light of the above, the preventive maintenance cycles are as follows:

- A. Every 10.000 consumptions: 10k, 20k, 30k, 40k, 50k, 60k, 70k, 80k, 90k, 100k, 110k, 120k, 130k, 140k, 150k, 160k, 170k, 180k and so on
- B. Every 30.000 consumptions: 30k, 60k, 90k, 120k, 150k, 180k and so on
- C. Every 60.000 consumptions: 60k, 120k, 180k, and so on
- D. Every 90.000 consumptions: 90k, 180k, and so on

Should any operational anomalies arise due to any events or circumstances not listed above, Rheavendors will be able to review and adjust the data according to such anomalies.

**In case of machines with fewer consumptions, the preventive maintenance for some specific components MUST be done at least once a years.** Refer to the following pages for more details.

Also, **long inactivity could create some trouble.** In that case it could be required to change the components that are effected by this problem (gaskets, silicon pipes, ...)

**A deep cleaning of the machine will be also required, replacing the internal water and activating a sanitization process.** This is required also to remove fouling and blocking due to leak of cleaning.

**A cleaning of the grinder mills could be also required** in order to remove residual of old coffee beans already grinded.

### Boiler descaling and replacing

Descaling and replacing of the boiler or its elements is not directly related to the number of dispensing cycles. **Also if the machine is not dispensing**, the heating element is continuously activated to keep warm the water.

Descaling is related to the **water hardness**, that's why use of specific **filter** is always recommended.

In the market are available several substance for boiler descaling. De to this **is not possible to provide a specific rule about the descaling and replacing frequency**.

Generally speaking, descaling could be required 1-2 times in a year.

Considering that descaling can reduce the life of the boiler, expecially the heating element, we suggest to change the boiler after some descaling cycles. An average period for replacing can be defined in 3-5 years.

### Grinder mills replacing

The amount of cycles for the PM that we suggest is considered with an average of 7 grams of coffee, coffee beans with standard hardness and standard granulometry setting. In case of different conditions, the frequency of the mills replacement can be different.

After the replacement a new pre grinding period must be considered.

**The following tools are required:**

- Philips screwdrivers short and long
- Open-end wrenches 8, 10, 12 and 13 mm
- Silicone grease (GRS0000004)
- Pliers

**Service maintenance A****Service maintenance A routine:**

- .. Visually inspect brewing-unit, clean brewing chamber
- .. Exchange brewer parts and grease o-ring
- .. Exchange mixers parts
- .. Check beverage setting according to specifications or according to customer wish

**Additional controls:**

- .. Check eventually presence of scale on safety valve
- .. At least **once a year** replace the silicon pipes
- .. Exchange optional parts if required (fresh milk system or similar)
- .. Check optional settings

**Service maintenance B**

The maintenance B will be considered in addition to the maintenance A, when required.

**Service maintenance B routine:**

- .. Visually inspect brewing-unit, clean brewing chamber
- .. Exchange brewer parts and grease o-ring
- .. Exchange mixers parts
- .. Exchange grinder parts
- .. Exchange brewer PTFE pipe
- .. Check beverage setting according to specifications or according to customer wish

**Additional controls:**

- .. Check eventually presence of scale on safety valve
- .. At least **once a year** replace the silicon pipes
- .. Exchange optional parts if required (fresh milk system or similar)
- .. Check optional settings

### Service maintenance C

The maintenance C will be considered in addition to the maintenance A and B, when required.

#### Service maintenance C routine:

- .. Visually inspect brewing-unit, clean brewing chamber
- .. Exchange brewer parts and grease o-ring
- .. Exchange mixers parts
- .. Exchange fans
- .. Exchange Varitherm parts (if installed)
- .. Check boiler parts (exchange if required)
- .. Check product container parts (exchange if required)
- .. Exchange brewer PTFE pipe
- .. Check beverage setting according to specifications or according to customer wish

#### Additional controls:

- .. Check eventually presence of scale on safety valve
- .. At least **once a year** replace the silicon pipes
- .. Exchange optional parts if required (fresh milk system or similar)
- .. Check optional settings

### Service maintenance D

The maintenance D will be considered in addition to the maintenance A, B and C, when required.

#### Service maintenance C routine:

- .. Visually inspect brewing-unit, clean brewing chamber
- .. Exchange brewer parts and grease o-ring
- .. Exchange mixers parts
- .. Exchange fans
- .. Exchange hot water EV
- .. Exchange boiler parts (if required)
- .. Exchange grinder motor and specific parts
- .. Exchange brewer gearbox motor parts
- .. Exchange product container parts
- .. Exchange brewer PTFE pipe
- .. Check beverage setting according to specifications or according to customer wish

#### Additional controls:

- .. Check eventually presence of scale on safety valve
- .. At least **once a year** replace the silicon pipes
- .. Exchange optional parts if required (fresh milk system or similar)
- .. Check optional settings

### Critical

It's recommended to have these parts in stock for service. In case of out of order or damage, these parts will increase the possibility to repair the machine, reducing the out of order time.

### Legenda

- Table: table title (grey background)
- Pos: position reference
- Code: part number
- Description: part description
- Critical: parts considered critical. These parts should be always in stock for service.
- Preventive maintenance:
  - A: first cycle of PM
  - B: second cycle of PM
  - C: third cycle of PM
  - D: forth cycle of PM
  - X = number of parts to be replaced during the PM. These numbers are calculated for each machine, considering the maximum configuration available. "xN" means that the number is variable, according to the machine configuration.
  - Y = parts to be replaced at least once a year
  - CK = check the part in order to verify if is required to clean it or replace it
  - § = assembly symbol.
- The single parts are in alternative to the recommended critical assembly components indicated with symbol §
- Recommended Spare Parts, considering the number of vending machines. Number of suggested part to have in stock for service. This number is not including the parts required for the preventive maintenance, but just for minimal stock.

The amount of parts required for the PM are calculated considering the maximum configuration of the machine model. Some detailed info about the machine configuration can be found in the machine code, following this conversion table:

**Machine code structure:**      **D   MMM   T   O   VV   I   M   CCC**

For example :                      D   230   6   6   A0   4   2   376

**MMM** = Machine model

**T** = Machine Type

-      0 = Espresso                      - 1 = Instant                      - 6 = Induction Espresso

**O** = Optionals:

-      0 = Standard                      - 5 = Unplumbed version                      - 6 = Plumbed version

**VV** = Version Index:

A0 = ...                      A1 = ...                      To be specified by Rheavendors technical office

**I = N° instant canisters (not included the coffee beans canisters):**


1 = 1 canister    ..                      6 = 6 canisters

**M = N° mixing bowls / mixers**

1 = 1 mixing bowl/mixer    ..                      3 = 3 mixing bowls/mixers


**CCC** = Customer code, for example 376 = Romania

cabinet




| cabinet |                  |                                |          |                        |   |   |   |
|---------|------------------|--------------------------------|----------|------------------------|---|---|---|
|         |                  |                                |          | Preventive Maintenance |   |   |   |
| Pos.    | Code             | Description                    | Critical | A                      | B | C | D |
| 1       | Z0010026355NA    | CABINET (BLACK)                |          |                        |   |   |   |
| 2       | Z0010024111CL1   | S MACHINE FOOT D.50X29 RAL9005 |          |                        |   |   |   |
| 3       | Z0090002113      | MOTOR 24 DC 97 RPM             | X        |                        |   |   | X |
| 4       | Z0010020029NA    | GEARBOX MOTOR PLUG BLACK       |          |                        |   |   |   |
| 5       | Z0010026018NA    | BULKHEAD                       |          |                        |   |   |   |
| 6       | VIT0002009       | SCREW ST HEAD CAP M3.5X6.5     |          |                        |   |   |   |
| 7       | Z0010026165NA    | WIRING COVER                   |          |                        |   |   |   |
| 8       | Z0030010166-02NA | COVER COIN BOX                 |          |                        |   |   |   |
| 9       | SER0000020       | LOCK MM20 C.3425               | X        |                        |   |   |   |
| 10      | SER0001005       | LOCK PLATE                     |          |                        |   |   |   |
| 11      | Z0030010160NA    | COIN BOX                       |          |                        |   |   |   |
| 12      | Z0010026022NA    | COIN SUPPORT                   |          |                        |   |   |   |
| 13      | VIT0010201       | RAIL                           |          |                        |   |   |   |
| 14      | VIT0000133       | M4*5 TSP A2 SCREW              |          |                        |   |   |   |
| 15      | VIT0000003       | SCREW HEAD TAP CAP M3X8        |          |                        |   |   |   |
| 16      | 4060010126       | PAYM SYSTEM FIXING SCREW       |          |                        |   |   |   |
| 17      | Z0010026171TR    | PAYM SYSTEM COVER TRANSPARENT  |          |                        |   |   |   |
| 18      | Z0010026025NA    | COIN RETURN CHUTE BLACK        |          |                        |   |   |   |
| 19      | Z0010026167      | MAGNET SUPPORT                 |          |                        |   |   |   |
| 20      | ELT0030760       | MAGNET D 10X3                  |          |                        |   |   |   |
| 21      | VIT0000121       | SCREW COUNT FLAT HEAD M3X8     |          |                        |   |   |   |
| 22      | VIT0000004       | SCREW HEAD TAP CAP M3X10       |          |                        |   |   |   |
| 23      | Z0010026032NA    | GAS SPRING LOWER BRACKET       |          |                        |   |   |   |
| 24      | VIT0000013       | SCREW HEAD TAP CAP M4X12       |          |                        |   |   |   |
| 25      | Z0010026033      | GAS SPRING PIN                 |          |                        |   |   |   |
| 26      | VIT0003004       | WASHER 5,3X10X1                |          |                        |   |   |   |
| 27      | VIT0004804       | NUT M5                         |          |                        |   |   |   |
| 28      | VIT0006504       | RING 5                         |          |                        |   |   |   |
| 29      | VIT0010206       | GAS SPRING 408692              | X        |                        |   |   |   |
| 30      | Z0010026121NA    | COFFEE GROUNDS CONTAINER       |          |                        |   |   |   |
| 31      | Z0020043058NA    | DRIP TRAY GRID                 |          |                        |   |   |   |
| 32      | Z0020043019      | RING GRID INOX                 |          |                        |   |   |   |
| 33      | Z0020043056CL    | S DRIP TRAY+SENSOR             |          |                        |   |   |   |
| 34      | Z0010026061-04NA | REAR DOOR                      |          |                        |   |   |   |

rear cabinet




| rear cabinet |                |                               |          |                        |    |    |    |
|--------------|----------------|-------------------------------|----------|------------------------|----|----|----|
|              |                |                               |          | Preventive Maintenance |    |    |    |
| Pos.         | Code           | Description                   | Critical | A                      | B  | C  | D  |
| 1            | Z0010026355NA  | CABINET (BLACK)               |          |                        |    |    |    |
| 2            | Z0010026046NA  | AIR BREAK SUPPORTO BLACK      |          |                        |    |    |    |
| 3            |                | See table water inlet panel   |          |                        |    |    |    |
| 4            | ELE0000465R    | § TRAP 24V DC                 | X        |                        | CK | X  |    |
| 5            | Z0010024129NA  | TRAP SUPPORT                  |          |                        |    |    |    |
| 6            | TEOL000002CL2  | EXTRACTOR TUBE D.30 220MM     | X        |                        |    |    | X  |
| 7            | Z0130013088NA  | ELECTRICAL PANEL              |          |                        |    |    |    |
| 8            | ELE0000462     | FAN 24V DC-LOW SPEED          | X        |                        |    | X  |    |
| 9            | Z0010027064    | FAN SUPPORT                   |          |                        |    |    |    |
| 10           | ELE0003509CL1  | FUSE HOLDER+FUSE 16A          |          |                        |    |    |    |
| 11           | GUA0011010     | PLUG                          |          |                        |    |    |    |
| 12           | ELE0002020     | BIPOLAR SWITCH 20A 250V       | X        |                        |    |    |    |
| 13           | ELE0002350     | MAINS SOCKET 16A              | X        |                        |    |    |    |
| 14           | VIT0002010     | SCREW ST HEAD CAP M3.5X9.5    |          |                        |    |    |    |
| 15           | ELE0062020     | BOARD SUPPORT                 |          |                        |    |    |    |
| 16           | SCH0009864     | VARITHERM BOARD_3             | X        |                        |    |    |    |
| 17           | ELE0000989CL   | PROBE                         | X        |                        |    |    |    |
| 18           | ELE0000461     | FAN 24V DC-HIGH SPEED         | X        | CK                     | CK | CK | X* |
| 19           | ELE0009066     | NOISE FILTER 16A              | X        |                        |    |    |    |
| 20           | VIT0002009     | SCREW ST HEAD CAP M3.5X6.5    |          |                        |    |    |    |
| 21           |                | See table STM 32 BOARD        |          |                        |    |    |    |
| 22           | Z0600016455    | H2O OUTLET PLUG               | X        |                        |    |    |    |
| 23           | Z0010027043NA  | EXTRACTOR TUBE BLACK          | X        |                        |    |    |    |
| 24           | Z0110001086    | WATER INLET VALVE 24V DC      | X        |                        | CK | X* |    |
| 25           | Z0100006001-01 | F/F CYLINDRIC 3/4-3/8 REDUCT. |          |                        |    |    |    |
| 26           | GUA00000021    | OR 130 NBR AL 75 BLACK        |          |                        |    |    |    |
| 27           | Z0010026360NA  | MODEM SUPPORT                 |          |                        |    |    |    |

UPPER COVER



| UPPER COVER |                  |                              |          |                        |   |   |    |
|-------------|------------------|------------------------------|----------|------------------------|---|---|----|
|             |                  |                              |          | Preventive Maintenance |   |   |    |
| Pos.        | Code             | Description                  | Critical | A                      | B | C | D  |
| 1           | Z0010026051CMR   | UPPER LID 9006 + INSERT      |          |                        |   |   |    |
| 2           | Z0010026058-03CG | UPPER COVER CLOSING RAL 7035 |          |                        |   |   |    |
| 3           | ELE0002019       | SWITCH 16A 250V              | X        |                        |   |   | CK |
| 4           | VIT0002469       | SCREW HEAD TAP M3.5X10       |          |                        |   |   |    |
| 5           | Z0020018061      | SELECTION BUTTON PLUG        |          |                        |   |   |    |
| 6           | Z0010026054CG    | GAS SPRING SUPPORT RAL7035   |          |                        |   |   |    |
| 7           | VIT0000030       | SCREW HEAD TAP CAP M4X7      |          |                        |   |   |    |
| 8           | Z0010026057CG    | WIRING SUPPORT RAL 7035      |          |                        |   |   |    |
| 9           | Z0010026037NA    | UPPER LID HINGE BLACK        |          |                        |   |   |    |
| 10          | Z0270011109      | SERVICE KEY                  | X        |                        |   |   |    |


DOOR



| DOOR |                  |                                      |          |                        |   |   |   |
|------|------------------|--------------------------------------|----------|------------------------|---|---|---|
|      |                  |                                      |          | Preventive Maintenance |   |   |   |
| Pos. | Code             | Description                          | Critical | A                      | B | C | D |
| 1    | Z0020043006-06CM | DOOR (RAL9006)                       |          |                        |   |   |   |
| 2    | Z0020043035NA    | HINGE REINFORCEMENT BLACK            |          |                        |   |   |   |
| 3    | Z0020043109NA    | INSERT COIN COVER                    |          |                        |   |   |   |
| 4    | Z0020043061NA    | COIN INLET SUPPORT BLACK             |          |                        |   |   |   |
| 5    | Z0020043063CM    | COIN RETURN BUTTON (RAL9006)         |          |                        |   |   |   |
| 6    | 4050010074       | COIN RETURN BUTTON SPRING            | X        |                        |   |   |   |
| 7    | Z0020034023      | COIN RETURN PIN                      |          |                        |   |   |   |
| 8    | Z0020043064      | COIN RETURN BUTTON BRACKET           |          |                        |   |   |   |
| 9    | Z0020043065      | COIN RETURN LEVER                    |          |                        |   |   |   |
| 10   | Z0020034187      | PIN                                  |          |                        |   |   |   |
| 11   | Z0020043068      | COIN RETURN SPRING                   |          |                        |   |   |   |
| 12   | VIT0007102       | BENZING CLIP                         | X        |                        |   |   |   |
| 13   | Z0020043066      | COIN RETURN LEVER ADJUSTABLE         |          |                        |   |   |   |
| 14   | VIT0002401       | SCREW ST HEAD CAP M3.5X9.5           |          |                        |   |   |   |
| 15   | Z0020043067CM    | COIN MECH. PLATE (RAL9006)           |          |                        |   |   |   |
| 16   | Z0020043072NA    | COINS FLAP                           |          |                        |   |   |   |
| 17   | Z0020042030      | COIN RETURN FLAP COUNTERWEIGHT       |          |                        |   |   |   |
| 18   | VIT0003302       | WASHER 5,5X15X1,6                    |          |                        |   |   |   |
| 19   | VIT0000208       | SCREW HEX HEAD M5X10                 |          |                        |   |   |   |
| 20   | Z0020043070NA    | COIN RETURN CONTAINER (BLACK)        |          |                        |   |   |   |
| 21   | Z0020043032      | LOCK SUPPORT                         |          |                        |   |   |   |
| 22   | VIT0002469       | SCREW HEAD TAP M3.5X10               |          |                        |   |   |   |
| 23   | Z0020043033NA    | DOOR BLOCK SHAFT SUPP. BLACK         |          |                        |   |   |   |
| 24   | SER0001019       | DOOR BLOCK SHAFT                     |          |                        |   |   |   |
| 25   | Z0020024618      | COIN BOX FLOWING NUT                 |          |                        |   |   |   |
| 26   | VIT0000021       | SCREW HEAD TAP CAP M4X6              |          |                        |   |   |   |
| 27/a | SER0000001/1     | INOX LOCK C6802                      | X        |                        |   |   |   |
| 27/b | SER0000023       | LOCK RIELDA                          | X        |                        |   |   |   |
| 28   | SER0001010       | LOCK BRACKET                         |          |                        |   |   |   |
| 29   | Z0010026120-02   | DOOR HINGE                           |          |                        |   |   |   |
| 30   | Z0020039416      | COIN ENTRY BLANK PLATE               |          |                        |   |   |   |
| 31/a | 1030000102       | RIGHT LATERAL PANEL (BROWN)          |          |                        |   |   |   |
| 31/b | 1030000021       | CD SIDE PANEL RIGHT G.R. BLACK       |          |                        |   |   |   |
| 31/c | 1030000134       | RIGHT LAT.GRAPHIC PANEL SILVER       |          |                        |   |   |   |
| 32/a | 1030000103       | LEFT LATERAL PANEL (BROWN)           |          |                        |   |   |   |
| 32/b | 1030000025       | CD SIDE PANEL LEFT BLACK             |          |                        |   |   |   |
| 32/c | 1030000133       | LEFT LAT. GRAPHIC PANEL SILVER       |          |                        |   |   |   |
| 33   | Z0020043078NA    | WIRING DOOR PLATE (BLACK)            |          |                        |   |   |   |
| 34/a | Z0020043036      | BOARD COVER Up to serial 20164699999 |          |                        |   |   |   |
| 34/b | Z0020043036      | BOARD COVER from serial 20164700000  |          |                        |   |   |   |
| 35   | Z0020043037NA    | BOARD FIXING BRACKET                 |          |                        |   |   |   |
| 36   | SCH0006261       | RFID CARD READER_1                   | X        |                        |   |   |   |
| 37   | Z0020043077NA    | RFID CARD HOLDER CD                  |          |                        |   |   |   |
| 38   | Z0020043111NA    | RFID COVER BLACK                     |          |                        |   |   |   |
| 39   | Z0020043062NA    | COIN CHUTE (BLACK)                   |          |                        |   |   |   |


| DOOR |            |                        |  |  |  |  |  |
|------|------------|------------------------|--|--|--|--|--|
| 40   | VIT0003301 | WASHER 4,3X12X1,5      |  |  |  |  |  |
| 41   | VIT0002466 | SCREW HEAD TAP M3.5X16 |  |  |  |  |  |

LIGHTING GLASS




| LIGHTING GLASS |               |                              |          |                        |   |   |   |
|----------------|---------------|------------------------------|----------|------------------------|---|---|---|
|                |               |                              |          | Preventive Maintenance |   |   |   |
| Pos.           | Code          | Description                  | Critical | A                      | B | C | D |
| 1              | Z0020043011   | FRONTAL PLEXIGLASS           |          |                        |   |   |   |
| 2              | ELE0000475    | CAPACITIVE KEYPAD-12 BUTTONS | X        |                        |   |   |   |
| 3              | Z0020043083CY | LABEL LIGHT GUIDE            |          |                        |   |   |   |
| 4              | SCH0009540    | STICKERS LIGHTING BOARD      |          |                        |   |   |   |
| 5              | Z0020043079   | PLEXIGLASS LIGHTING          |          |                        |   |   |   |
| 6              | VIT0002469    | SCREW HEAD TAP M3.5X10       |          |                        |   |   |   |
| 7              | Z0020043029   | SUGAR BUTTON SPACE STICKER   |          |                        |   |   |   |
| 8              | ELE0000474    | KEYPAD- 2 BUTTONS            | X        |                        |   |   |   |
| 9              | SCH0009982CL1 | § LCD BOARD 3,5" CD          | X        |                        |   |   |   |
| 10/a           | Z0020043112   | DISPLAY BOARD SUPPORT RIGHT  |          |                        |   |   |   |
| 10/b           | Z0020043113   | DISPLAY BOARD SUPPORT LEFT   |          |                        |   |   |   |
| 11             | SCH0009983-01 | 3,5" DISPLAY BOARD           | X        |                        |   |   |   |
| 12/a           | 1030000204    | GRAPHIC PANEL                |          |                        |   |   |   |
| 12/b           | 1030000205    | GRAPHIC PANEL W/O ICON       |          |                        |   |   |   |
| 13             | 1030000188    | ADHESIVE LOGO                |          |                        |   |   |   |
| 14             | Z0020039084CL | § DOOR LOGO FRAME CROMO      |          |                        |   |   |   |
| 15             | VIT0002466    | SCREW HEAD TAP M3.5X16       |          |                        |   |   |   |
| 16             | Z0020043046NA | LOGO LIGHTING BOARD SUPPORT  |          |                        |   |   |   |
| 17             | SCH0009580    | LOGO LIGHTING BOARD          |          |                        |   |   |   |

CUPS STATION FLAP



| CUPS STATION FLAP |               |                             |          |                        |   |   |   |
|-------------------|---------------|-----------------------------|----------|------------------------|---|---|---|
|                   |               |                             |          | Preventive Maintenance |   |   |   |
| Pos.              | Code          | Description                 | Critical | A                      | B | C | D |
| 1                 | Z0020043040TR | CUP STATION FLAP            |          |                        |   |   |   |
| 2                 | Z0020043042   | FLAP GEAR                   |          |                        |   |   |   |
| 3                 | VIT0006505    | RING 6                      |          |                        |   |   |   |
| 4                 | VIT0003312    | WASHER 10x16x0,5            |          |                        |   |   |   |
| 5                 | Z0020043049   | FLAP RETARDER               |          |                        |   |   |   |
| 6                 | Z0020040235   | FLAP PLUG                   |          |                        |   |   |   |
| 7                 | SCH0009520    | CUPS STATION LIGHTING BOARD |          |                        |   |   |   |
| 8                 | VIT0002009    | SCREW ST HEAD CAP M3.5X6.5  |          |                        |   |   |   |
| 9                 | Z0020042251PM | BLUE PLEXIGLASS SENSOR      |          |                        |   |   |   |
| 10                | Z0020043031NA | DOOR LOWER COVER BLACK      |          |                        |   |   |   |
| 11                | VIT0002469    | SCREW HEAD TAP M3.5X10      |          |                        |   |   |   |
| 12                | Z0020043041NA | FLAP SUPPORT                |          |                        |   |   |   |
| 13                | Z0020043048   | FLAP CLOSING SPRING         |          |                        |   |   |   |
| 14                | Z0020043044NA | SENSOR SUPPORT              |          |                        |   |   |   |
| 15                | ELT0006813    | DISTANCE SENSOR             | X        |                        |   |   |   |
| 16                | VIT0000002    | SCREW HEAD TAP CAP M3X6     |          |                        |   |   |   |
| 17                | VIT0004701    | NUT M3                      |          |                        |   |   |   |
| 18                | Z0020043047   | SENSOR ADHESIVE             |          |                        |   |   |   |


TURRET DB SUPPORT



| TURRET DB SUPPORT |                  |                                |          |                        |   |   |   |
|-------------------|------------------|--------------------------------|----------|------------------------|---|---|---|
|                   |                  |                                |          | Preventive Maintenance |   |   |   |
| Pos.              | Code             | Description                    | Critical | A                      | B | C | D |
| 1                 | Z0190014005-09NA | SUPPORT DB BLACK               |          |                        |   |   |   |
| 2                 | ELE0062020       | BOARD SUPPORT                  |          |                        |   |   |   |
| 3                 | SCH0009601       | KEYPAD BOARD                   | X        |                        |   |   |   |
| 4                 | H00017067        | MAGNET 20X3,2 SP3              |          |                        |   |   |   |
| 5                 | VIT0002113       | SCREW COUNT FLAT HEAD M2.9X9,5 |          |                        |   |   |   |
| 6                 | Z0190014011NA    | UPPER DB SUPPORT BLACK         |          |                        |   |   |   |
| 7                 |                  | See table cups loader          |          |                        |   |   |   |
| 8                 | VIT0002469       | SCREW HEAD TAP M3.5X10         |          |                        |   |   |   |
| 9                 | VIT0000014       | SCREW HEAD TAP CAP M4X16       |          |                        |   |   |   |
| 10                | Z0190014039      | D.80 CUP SLOW MOTION SUPPORT   |          |                        |   |   |   |
| 11                | Z0190014042      | CUP SLOW MOTION                |          |                        |   |   |   |
| 12                | VIT0000002       | SCREW HEAD TAP CAP M3X6        |          |                        |   |   |   |
| 13                | VIT0002009       | SCREW ST HEAD CAP M3.5X6.5     |          |                        |   |   |   |
| 14/a              | Z0190014036NA    | STIRRER DISP. SUP. D.80 BLACK  |          |                        |   |   |   |
| 14/b              | Z0190014018NA    | STIRRER SUPPORT 70/73          |          |                        |   |   |   |
| 15/a              | Z0190014034NA    | LOWER DB SUPPORT D.80 (BLACK)  |          |                        |   |   |   |
| 15/b              | Z0190014016NA    | LOWER SUPPORTO DB 70-73        |          |                        |   |   |   |
| 16                | Z0020043050NA    | CUP STATION (BLACK)            |          |                        |   |   |   |
| 17                | Z0190014017NA    | CUP CHUTE (BLACK)              |          |                        |   |   |   |
| 18                | Z0190014029NA    | CUP STOP (BLACK)               |          |                        |   |   |   |
| 19                | Z0190014051NAR   | § FORK SUPPORT (BLACK)+INSERT  |          |                        |   |   |   |
| 20                | VIT0009330       | BEARING D.8                    | X        |                        |   |   |   |
| 21                | VIT0009327       | BEARING                        | X        |                        |   |   |   |
| 22                | Z0190014026NAR   | § FORK SHAFT (BLACK)+INSERT    | X        |                        |   |   |   |
| 23                | SCH0006940       | TUBES SENSOR                   | X        |                        |   |   |   |
| 24                | Z0190014052      | FORK PULLEY                    | X        |                        |   |   |   |
| 25                | Z0190014023      | FORK SHAFT SPACER              |          |                        |   |   |   |
| 26                | Z0190014054NA    | OPTIC READER DISC (BLACK)      |          |                        |   |   |   |
| 27                | Z0190014053-02   | FORK SHAFT PLATE               |          |                        |   |   |   |
| 28                | VIT0002469       | SCREW HEAD TAP M3.5X10         |          |                        |   |   |   |
| 29                | VIT0000013       | SCREW HEAD TAP CAP M4X12       |          |                        |   |   |   |
| 30                | VIT0005544       | SCREW ALLEN M4X50              |          |                        |   |   |   |
| 31                | Z0190014025      | TOOTHED BELT                   | X        |                        |   |   |   |
| 32                | Z0190014055-03   | FORK MOTOR REINFORCEMENT       |          |                        |   |   |   |
| 33                | VIT0001010       | M 3x12 TCB SCREW               |          |                        |   |   |   |
| 34                | VIT0003107       | SPRING WASHER 4,3              |          |                        |   |   |   |
| 35/a              | Z0190014032NA    | CUPS FORK D.80                 |          |                        |   |   |   |
| 35/b              | Z0190014030NA    | CUPS FORK D.70                 |          |                        |   |   |   |
| 35/c              | Z0190014031NA    | FORK D.73 (BLACK)              |          |                        |   |   |   |
| 36                | VIT0000030       | SCREW HEAD TAP CAP M4X7        |          |                        |   |   |   |
| 37                | Z0020040235      | FLAP PLUG                      |          |                        |   |   |   |
| 38/a              | Z0190014033NA    | DB UPPER COVER D.80 (BLACK)    |          |                        |   |   |   |
| 38/b              | Z0190014014NA    | LID SUPPORT DB 70/73           |          |                        |   |   |   |
| 39                | Z0190014013NA    | STIRRERS CHUTE REINFORC. BLACK |          |                        |   |   |   |
| 40                | Z0190014040NA    | DB BOARD COVER                 |          |                        |   |   |   |


| TURRET DB SUPPORT |               |                                                                     |   |  |  |  |  |
|-------------------|---------------|---------------------------------------------------------------------|---|--|--|--|--|
| 41                | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5                                          |   |  |  |  |  |
| 42/a              | Z0190014048NA | DB SUPPORT COVER D.80 (BLACK)                                       |   |  |  |  |  |
| 42/b              | Z0190014046NA | DB SUPPORT COVER D.70 (BLACK)                                       |   |  |  |  |  |
| 43                | VIT0000012    | SCREW HEAD TAP CAP M4X10                                            |   |  |  |  |  |
| 44                | Z0090002047R2 | §MOTOR 18RPM 24V+PULLEY+REINF. Includes pos. 44 + 45 + 46 + 32 + 33 | X |  |  |  |  |
| 45                | VIT0003108    | WASHER TAB D. 3.2                                                   |   |  |  |  |  |
| 46                | Z0190014057   | BUSHING FIXING MOTOR                                                |   |  |  |  |  |
| 100               | Z0190014050R  | § CUP FORK MOVEMENT From pos. 19 to pos. 34 and 44                  | X |  |  |  |  |

cups loader




| cups loader |                  |                                                                                                 |          |                        |   |    |    |
|-------------|------------------|-------------------------------------------------------------------------------------------------|----------|------------------------|---|----|----|
|             |                  |                                                                                                 |          | Preventive Maintenance |   |    |    |
| Pos.        | Code             | Description                                                                                     | Critical | A                      | B | C  | D  |
| 1           | Z0190006534CY-03 | TURRET SUPPORT RAL9018                                                                          |          |                        |   |    |    |
| 2/a         | Z0190006543-01   | MICROSWITCH LEVER WHITE                                                                         | X        |                        |   |    |    |
| 2/b         | Z0190006556KA    | MICROSWITCH LEVER RAL3020                                                                       | X        |                        |   |    |    |
| 3           | ELE0001530       | MICROSWITCH 3A 125-250VA                                                                        | X        |                        |   | X  |    |
| 4           | Z0190006546      | CUP DISPENSER MOTOR CONNECTOR                                                                   |          |                        |   |    |    |
| 5           | VIT0002469       | SCREW HEAD TAP M3.5X10                                                                          |          |                        |   |    |    |
| 6           | VIT0003301       | WASHER 4,3X12X1,5                                                                               |          |                        |   |    |    |
| 7           | VIT0003103       | SPRING WASHER 4,3                                                                               |          |                        |   |    |    |
| 8           | Z0190006503      | Z26 WHEEL TURRET (WHITE)                                                                        | X        |                        |   | CK |    |
| 9           | Z0190006564      | TURRET SHAFT                                                                                    | X        |                        |   | CK |    |
| 10          | VIT0005203       | DOWEL PIN 4X18                                                                                  | X        |                        |   | CK |    |
| 11          | Z0190006544      | Z16 PINION WHITE                                                                                | X        |                        |   | CK |    |
| 12          | Z0190006537CY    | TURRET CUP CONNEC. 4C. RAL9018                                                                  | X        |                        |   |    |    |
| 13          | VIT0002101       | SCREW COUNT FLAT HEAD M3.5X13                                                                   |          |                        |   |    |    |
| 16/a        | Z0190006538CF    | CUPS REDUCER D.70 RAL7016                                                                       |          |                        |   |    |    |
| 16/b        | Z0190006539CY    | CUPS REDUCER D.73 RAL9018                                                                       |          |                        |   |    |    |
| 17          | Z0190006521CYR   | LOWER/UPPER CUP DROP MECH.                                                                      |          |                        |   |    |    |
| 18          | Z0190006511NA    | CUPS TURRET SPINDLE BLACK                                                                       | X        |                        |   |    | X* |
| 19          | Z0190006528      | Z26 WHEEL WHITE                                                                                 | X        |                        |   |    | X* |
| 20/a        | Z0190006523      | TOOTHED RING NUT D.70/73                                                                        | X        |                        |   |    | X* |
| 20/b        | Z0190006507      | TOOTHED RING NUT D.78/80 WHITE                                                                  | X        |                        |   |    | X* |
| 21/a        | Z0190006506IC    | SPLIT UP D.70/78-ORANGE PL                                                                      |          |                        |   |    |    |
| 21/b        | Z0190006502      | CUP SPLITTER D.73/80 PP WHITE                                                                   |          |                        |   |    |    |
| 23          | VIT0002456       | SCREW HEAD TAP M3.5X25                                                                          |          |                        |   |    |    |
| 24          | Z0190006514CY    | CUPS CHUTE 70/73 RAL9018                                                                        |          |                        |   |    |    |
| 25          | VIT0002468       | SCREW HEAD TAP M3.5X30                                                                          |          |                        |   |    |    |
| 26          | Z0190006522CY    | MOTOR SUPPORT RAL9018                                                                           |          |                        |   |    |    |
| 27          | Z0090002114R2    | § GEARBOX MOTOR 11RPM 24V DC                                                                    | X        |                        |   |    | X* |
| 28          | SCH0007000       | SPLIT UP SENSOR                                                                                 | X        |                        |   |    | X* |
| 29          | VIT0002002       | SCREW ST HEAD CAP M3.5X6.5                                                                      |          |                        |   |    |    |
| 30          | Z0190006518      | TOOTHED SHAFT Z18 WHITE                                                                         | X        |                        |   |    | X* |
| 31          | Z0090002123R     | § GEARBOX MOTOR 5,5RPM 24V DC                                                                   | X        |                        |   |    | X* |
| 32          | ELE0002258CL     | § PUSH BUTTON RED                                                                               |          |                        |   |    |    |
| 100/a       | Z0190006534CL3R  | § TURRET SUPP-4COLUMNS D.70/73 From pos.1 to pos.13 (included pos.2/a) Up to serial 20204799999 |          |                        |   |    |    |
| 100/b       | Z0190006534CL4R  | § TURRET SUPPORT-4COLUMNS D.80 From pos.1 to pos.13 (included pos.2/b) Up to serial 20204799999 |          |                        |   |    |    |
| 101/a       | Z0190006520CLR   | § CUP DROP MECH. D.70-PL From pos. 17 to pos.23 (included pos.20/a+21/a)                        |          |                        |   |    |    |
| 101/b       | Z0190006520CL2R  | § CUP DROP MECH. D.73-PP From pos. 17 to pos.23 (included pos.20/a+21/c)                        |          |                        |   |    |    |
| 101/c       | Z0190006521CL5R  | § CUP DROP MECH. D.80-PP From pos. 17 to pos.23 (included pos.20/a+21/b)                        |          |                        |   |    |    |
| 102         | Z0190006522CLR   | § CUPS DISPENSER MOTOR SUPPORT From pos.26 to pos. 32 Up to serial 20204799999                  |          |                        |   |    |    |

CUPS LOADER with DOUBLE SWITCH




| CUPS LOADER with DOUBLE SWITCH |                  |                                                                             |          |                        |   |   |      |
|--------------------------------|------------------|-----------------------------------------------------------------------------|----------|------------------------|---|---|------|
|                                |                  |                                                                             |          | Preventive Maintenance |   |   |      |
| Pos.                           | Code             | Description                                                                 | Critical | A                      | B | C | D    |
| 1                              | Z0190006581CI    | TURRET SUPPORT RAL 7042                                                     |          |                        |   |   |      |
| 2/a                            | Z0190006543-01   | MICROSWITCH LEVER WHITE                                                     | X        |                        |   |   |      |
| 2/b                            | Z0190006556KA    | MICROSWITCH LEVER RAL3020                                                   | X        |                        |   |   |      |
| 3                              | ELE0001530       | MICROSWITCH 3A 125-250VA                                                    | X        |                        |   | X |      |
| 4                              | Z0090002043R     | § MOTOR GEAR+BOARD                                                          |          |                        |   |   |      |
| 5                              | VIT0002469       | SCREW HEAD TAP M3.5X10                                                      |          |                        |   |   |      |
| 6                              | VIT0005223       | PIN 4X18 DIN 1475                                                           | X        |                        |   |   | X(1) |
| 7                              | SCH0007021       | MOTOR FILTER                                                                |          |                        |   |   |      |
| 8                              | Z0190006537CY    | TURRET CUP CONNEC. 4C. RAL9018                                              | X        |                        |   |   |      |
| 9                              | VIT0002101       | SCREW COUNT FLAT HEAD M3.5X13                                               |          |                        |   |   |      |
| 10                             | Z019A111001CI    | MICRO SWITCH ACT. 0° DEGREES                                                |          |                        |   |   |      |
| 11                             | Z019A111002CI    | MICRO SUPPORT                                                               |          |                        |   |   |      |
| 12                             | CBLLZ00064       | WIRED COLUMN MICROSWITCHG                                                   |          |                        |   |   |      |
| 13/a                           | Z0190006538CF    | CUPS REDUCER D.70 RAL7016                                                   |          |                        |   |   |      |
| 13/b                           | Z0190006539CY    | CUPS REDUCER D.73 RAL9018                                                   |          |                        |   |   |      |
| 14                             | Z0190006521CYR   | LOWER/UPPER CUP DROP MECH.                                                  |          |                        |   |   |      |
| 15                             | Z0190006511NA    | CUPS TURRET SPINDLE BLACK                                                   | X        |                        |   |   | X*   |
| 16                             | Z0190006528      | Z26 WHEEL WHITE                                                             | X        |                        |   |   | X*   |
| 17/a                           | Z0190006523      | TOOTHED RING NUT D.70/73                                                    | X        |                        |   |   | X*   |
| 17/b                           | Z0190006507      | TOOTHED RING NUT D.78/80 WHITE                                              | X        |                        |   |   | X*   |
| 18/a                           | Z0190006506IC    | SPLIT UP D.70/78-ORANGE PL                                                  |          |                        |   |   |      |
| 18/b                           | Z0190006502      | CUP SPLITTER D.73/80 PP WHITE                                               |          |                        |   |   |      |
| 18/c                           | Z0190006551GJ    | SPLIT UP D.70/78-YELLOW PP                                                  |          |                        |   |   |      |
| 18/d                           | Z0190006509PL    | SPLIT UP D.80 MULTISTEP BLU                                                 |          |                        |   |   |      |
| 18/e                           | Z0190006512NA    | SPECIAL PAWL Ø 80                                                           |          |                        |   |   |      |
| 19                             | VIT0002456       | SCREW HEAD TAP M3.5X25                                                      |          |                        |   |   |      |
| 20                             | Z0190006514CY    | CUPS CHUTE 70/73 RAL9018                                                    |          |                        |   |   |      |
| 21                             | VIT0002469       | SCREW HEAD TAP M3.5X10                                                      |          |                        |   |   |      |
| 22                             | VIT0002468       | SCREW HEAD TAP M3.5X30                                                      |          |                        |   |   |      |
| 23                             | Z0190006522CY    | MOTOR SUPPORT RAL9018                                                       |          |                        |   |   |      |
| 24                             | Z0090002114R2    | § GEARBOX MOTOR 11RPM 24V DC                                                | X        |                        |   |   | X*   |
| 25                             | SCH0007000       | SPLIT UP SENSOR                                                             | X        |                        |   |   | X*   |
| 26                             | VIT0002002       | SCREW ST HEAD CAP M3.5X6.5                                                  |          |                        |   |   |      |
| 27                             | Z0190006518      | TOOTHED SHAFT Z18 WHITE                                                     | X        |                        |   |   | X*   |
| 28                             | VIT0002025       | SCREW ST HEAD CAP M3.5X22                                                   |          |                        |   |   |      |
| 29                             | ELE0002258       | PUSH BUTTON RED                                                             |          |                        |   |   |      |
| 100/a                          | Z0190006534CL13R | §TURRET SUPP. 4C D.70/73 PD DS From pos.1 to pos.12 from serial 20204800000 |          |                        |   |   |      |
| 100/b                          | Z0190006534CL14R | § TURRET SUPP. 4C D.80 PD DS From pos.1 to pos.12 from serial 20204800000   |          |                        |   |   |      |
| 101/a                          | Z0190006520CLR   | § CUP DROP MECH. D.70-PL From pos. 14 to pos. 19                            |          |                        |   |   |      |
| 101/b                          | Z0190006520CL0R  | § CUP DROP MECH. D.70-PP From pos. 14 to pos. 19                            |          |                        |   |   |      |
| 101/c                          | Z0190006520CL2R  | § CUP DROP MECH. D.73-PP From pos. 14 to pos. 19                            |          |                        |   |   |      |
| 101/d                          | Z0190006521CL5R  | § CUP DROP MECH. D.80-PP From pos. 14 to pos. 19                            |          |                        |   |   |      |
| 101/e                          | Z0190006521CL12R | § CUP DROP MECH. D.80-PP BLUE From pos. 14 to pos. 19                       |          |                        |   |   |      |
| 101/f                          | Z0190006521CL19R | § CUP DROP MECH. D.80-PP BLACK From pos. 14 to pos. 19                      |          |                        |   |   |      |
| 102                            | Z0190006522CL1R  | § GEARS DB TURRET SUPPORT From pos. 23 to pos. 29 from serial 20204800000   |          |                        |   |   |      |

4 columns cups turret




| 4 columns cups turret |               |                                                         |          |                        |   |   |   |
|-----------------------|---------------|---------------------------------------------------------|----------|------------------------|---|---|---|
|                       |               |                                                         |          | Preventive Maintenance |   |   |   |
| Pos.                  | Code          | Description                                             | Critical | A                      | B | C | D |
| 1/a                   | Z0180013305CY | CUP TURRET SPINDLE 4C RAL 9018 Up to serial 20204799999 |          |                        |   |   |   |
| 1/b                   | Z0180013307CY | CUP TURRET SPINDLE 4C D.80 Up to serial 20204799999     |          |                        |   |   |   |
| 1/c                   | Z018A111013CY | CUP TURRET SPINDLE 4C D70 9018 from serial 20204800000  |          |                        |   |   |   |
| 1/d                   | Z018A111012CY | CUP TURRET SPINDLE 4C D80 9018 from serial 20204800000  |          |                        |   |   |   |
| 2/a                   | Z0180013146   | CUP HOLDER D.84/81MM L305MM                             |          |                        |   |   |   |
| 2/b                   | Z0180013351   | CUP HOLDER D.87/84MM L288MM                             |          |                        |   |   |   |
| 3                     | Z0180013113   | D.70 COLUMN REDUCTION (WHITE)                           |          |                        |   |   |   |
| 4/a                   | Z0180013308CY | CUPS TURRET LID 4C. RAL 9018                            |          |                        |   |   |   |
| 4/b                   | Z0180013311CY | CUPS TURRET LID 4C D80 RAL9018                          |          |                        |   |   |   |
| 100                   | Z0180013145R  | CUP TURRET 4C D.70/73 Up to serial 20204799999          |          |                        |   |   |   |
| 101                   | Z0180013350R  | § CUP TURRET 4C D.80 Up to serial 20204799999           |          |                        |   |   |   |
| 102                   | Z0180013145R0 | CUP TURRET 4C D.70/73 from serial 20204800000           |          |                        |   |   |   |
| 103                   | Z0180013350R0 | § CUP TURRET 4C D.80 from serial 20204800000            |          |                        |   |   |   |

stirrer dispenser




| stirrer dispenser |               |                                                       |          |                        |   |   |    |
|-------------------|---------------|-------------------------------------------------------|----------|------------------------|---|---|----|
|                   |               |                                                       |          | Preventive Maintenance |   |   |    |
| Pos.              | Code          | Description                                           | Critical | A                      | B | C | D  |
| 1                 | Z0450003555   | STIRRER DISPENSER                                     |          |                        |   |   |    |
| 2                 | Z0450003560   | STIRRER DISPENSER GUIDE                               |          |                        |   |   |    |
| 3                 | VIT0000012    | SCREW HEAD TAP CAP M4X10                              |          |                        |   |   |    |
| 4                 | Z0450003559   | ELETTROMAGNET R.H. SUPPORT                            |          |                        |   |   |    |
| 5                 | VIT0002009    | SCREW ST HEAD CAP M3.5X6.5                            |          |                        |   |   |    |
| 6                 | Z0450003558   | ELETTROMAGNET L.H. SUPPORT                            |          |                        |   |   |    |
| 7                 | ELE0000062    | 15% 24VDC ELECTROMAGNET W/FAST                        | X        |                        |   |   | X  |
| 8                 | Z0190014038   | ELETTTROMAGNET PIN                                    |          |                        |   |   |    |
| 9                 | Z0380011419   | SPRING                                                | X        |                        |   |   | X  |
| 10                | VIT0005212    | DOWEL PIN 2.5X24                                      | X        |                        | X |   |    |
| 11                | VIT0003103    | SPRING WASHER 4,3                                     |          |                        |   |   |    |
| 12                | VIT0000021    | SCREW HEAD TAP CAP M4X6                               |          |                        |   |   |    |
| 13                | Z0450003010   | SPRING                                                | X        |                        |   |   | X* |
| 14                | Z0450003565NA | STIRRER EJECTOR BLACK                                 |          |                        |   |   |    |
| 15                | Z0450003566   | STIRRER EJECT SHAFT                                   |          |                        |   |   |    |
| 16                | VIT0006504    | RING 5                                                |          |                        |   |   |    |
| 17                | Z0450003571TR | TRASPARENT STICKS CHUTE                               |          |                        |   |   |    |
| 18                | Z0450003572TR | TRASPARENT STICKS CHUTE COVER                         |          |                        |   |   |    |
| 19                | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5                            |          |                        |   |   |    |
| 20/a              | 4001012030    | STIRRER WEIGHT 89MM                                   | X        |                        |   |   |    |
| 20/b              | Z0450003033   | STIRRER WEIGHT 104MM                                  | X        |                        |   |   |    |
| 100               | Z0450003550CL | § STIRRER DISPENSER 89-104-115 From pos. 1 to pos. 19 |          |                        |   |   |    |

mixer plan




| mixer plan |                |                                    |          |                        |    |    |    |
|------------|----------------|------------------------------------|----------|------------------------|----|----|----|
|            |                |                                    |          | Preventive Maintenance |    |    |    |
| Pos.       | Code           | Description                        | Critical | A                      | B  | C  | D  |
| 1          |                | See table PRO BREWER SUPPORT+MOTOR |          |                        |    |    |    |
| 2          |                | See table MIXERS SUPPORT           |          |                        |    |    |    |
| 3          | Z0380011650NA  | NOZZLE HOLDER (BLACK)              |          |                        |    |    |    |
| 4          | Z0380011551NA  | NOZZLES HOLDER                     | X        |                        |    |    |    |
| 5          | VIT0002401     | SCREW ST HEAD CAP M3.5X9.5         |          |                        |    |    |    |
| 6          | Z0380010657NA  | ESPRESSO NOZZLE D. 5,7             | X        | CK                     | CK | CK | CK |
| 7          | Z0380011666CK  | MILK NOZZLE (RAL7037)              | X        | CK                     | CK | CK | CK |
| 8          | Z0380011665EB  | COFFEE NOZZLE RAL8019              | X        | CK                     | CK | CK | CK |
| 9          |                | See table VARITHERM SUPPORT        |          |                        |    |    |    |
| 10         | Z0260012037NA  | DRIP TRAY TUBE PLATE (BLACK)       |          |                        |    |    |    |
| 11         | Z0260012029NA  | TRAY (BLACK)                       |          |                        |    |    |    |
| 12         | Z0070035010CL  | § DRIP TRAY SENSOR SUPPORT         | X        |                        |    |    |    |
| 13         | Z0250014074CL1 | § VARIFLEX BREWER COVER-FS         |          |                        |    |    |    |
| 14         |                | See table GRINDER                  |          |                        |    |    |    |
| 15         | Z0380010656NA  | PLUG BLACK                         |          |                        |    |    |    |

MIXERS SUPPORT




| MIXERS SUPPORT |               |                              |          |                        |    |    |    |
|----------------|---------------|------------------------------|----------|------------------------|----|----|----|
|                |               |                              |          | Preventive Maintenance |    |    |    |
| Pos.           | Code          | Description                  | Critical | A                      | B  | C  | D  |
| 1              | Z0260012061NA | MIXER SUPPORT                |          |                        |    |    |    |
| 2              | Z0010026110NA | EXHAUST DRAWER               |          |                        |    |    |    |
| 3              | Z0260012065NA | TRAP DRAWER                  |          |                        |    |    |    |
| 4              | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5   |          |                        |    |    |    |
| 5              | Z0260012064NA | VALVE SUPPORT                |          |                        |    |    |    |
| 6              | Z0010027022   | TRAP DRAWER REMOVABLE        | X        |                        |    |    |    |
| 7              | Z0010027039NA | TRAP PLUG                    |          |                        |    |    |    |
| 8              |               | See table mixer              |          |                        |    |    |    |
| 9              | Z0080100153   | MIXER CONNECTOR G 1/8 BLACK  | X        | Y*                     | Y* | Y* | Y* |
| 10             | Z0110001130   | VALVE 2WX3INLET 24V DC 6W    | X        |                        | CK | X* |    |
| 11             | Z0100001150   | STRAIGHT CONNECTOR M G1/8 D6 |          |                        |    |    |    |
| 12             | Z0010026379NA | H2O VALVE SUPPORT            |          |                        |    |    |    |
| 13             | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5   |          |                        |    |    |    |
| 14             | Z0080100035NA | CONNECTOR PLUG BLACK         |          |                        |    |    |    |
| 15             | Z0010020028NA | MIXER PLUG BLACK             |          |                        |    |    |    |




| mixer |               |                                               |          |                        |   |   |   |
|-------|---------------|-----------------------------------------------|----------|------------------------|---|---|---|
|       |               |                                               |          | Preventive Maintenance |   |   |   |
| Pos.  | Code          | Description                                   | Critical | A                      | B | C | D |
| 1     | GUA0000084    | OR 3131 RED SILICONE A60                      | X        | Y                      | Y | Y | Y |
| 2     | Z0080100005   | MOTOR MIXER BASE                              |          |                        |   |   |   |
| 3     | Z0080100009IC | MIXER MOTOR SUPPORT RAL2011                   | X        |                        |   |   |   |
| 4     | Z0080100251NA | MIXER FUN                                     | X        | X                      | X | X | X |
| 5     | Z0080100102   | MIXER SHAFT GASKET                            | X        | CK                     | Y | Y | Y |
| 6     | Z0080100015   | MIXER BUSH                                    | X        |                        |   |   |   |
| 7     | Z0080100023IC | MIXER COVER RAL2011                           |          |                        |   |   |   |
| 8     | Z0080100024   | MIXER FAN                                     |          |                        |   |   |   |
| 9     | Z0090003023   | MIXER MOTOR 24V DC SHAFT D.4                  | X        |                        |   |   | X |
| 10    | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5                    |          |                        |   |   |   |
| 11/a  | Z0080200101L  | MIXING BOWL L.W/H20 BREAKER                   | X        |                        |   |   |   |
| 11/b  | Z0080200102R  | MIXING BOWL R.W/H20 BREAKER                   | X        |                        |   |   |   |
| 11/c  | Z0080200103C  | MIXING BOWL F.W/H20 BREAKER                   | X        |                        |   |   |   |
| 12    | Z0080100006IC | LOCK RING RAL2011                             | X        |                        |   |   |   |
| 13    | Z0080100008   | UPPER RING                                    |          |                        |   |   |   |
| 100   | Z0080100001R1 | § MIXER BOWL BASE+MOTOR (from pos.1 to pos.9) | X        |                        |   |   |   |

extractable sugar movement




| extractable sugar movement |               |                                       |          |                        |    |    |      |
|----------------------------|---------------|---------------------------------------|----------|------------------------|----|----|------|
|                            |               |                                       |          | Preventive Maintenance |    |    |      |
| Pos.                       | Code          | Description                           | Critical | A                      | B  | C  | D    |
| 1                          | Z0090002114R1 | § GEARBOX MOTOR 11RPM 24V DC          | X        |                        |    |    | X(1) |
| 2                          | SCH0003740    | MOTOR FILTER                          | X        |                        |    |    |      |
| 3                          | ELE0001522    | MICROSWITCH                           | X        |                        |    |    |      |
| 4                          | ELE0001906    | MICROSWITCH LEVER                     |          |                        |    |    |      |
| 5                          | 4600010014    | SPACER                                |          |                        |    |    |      |
| 6                          | VIT00000105   | M 3*20 TSP SCREW                      |          |                        |    |    |      |
| 7                          | VIT0004701    | NUT M3                                |          |                        |    |    |      |
| 8                          | Z0380011761NA | GEARBOX MOTOR SUPPORT (BLACK)         |          |                        |    |    |      |
| 9                          | VIT00000035   | SCREW HEAD TAP CAP M4X20              |          |                        |    |    |      |
| 10                         | Z0380010421   | GEARBOX MOTOR SHAFT                   | X        |                        |    |    |      |
| 11                         | Z0380010831   | BUSH 20x4                             | X        |                        |    |    |      |
| 12                         | Z0380011411   | DISK                                  | X        |                        |    |    |      |
| 13                         | Z0200001011   | BEARING                               | X        |                        |    |    |      |
| 14                         | Z0200001012   | PIN BEARING                           | X        |                        |    |    |      |
| 15                         | Z0380011752   | GUIDE SUPPORT                         |          |                        |    |    |      |
| 16                         | Z0380010933   | PIPES MOVEMENT GUIDE RAIL             |          |                        |    |    |      |
| 17                         | VIT00000005   | SCREW HEAD TAP CAP M3X12              |          |                        |    |    |      |
| 18                         | Z0380010798   | NOZZLE MOVEMENT GUIDE                 |          |                        |    |    |      |
| 19                         | Z0380011751NA | PIPE MOVEMENT HOUSING (BLACK)         |          |                        |    |    |      |
| 20                         | VIT0002401NA  | SCREW ST HEAD CAP M3.5X9.5            |          |                        |    |    |      |
| 21                         | Z0380011753   | PIPE MOVEMENT GUIDE                   |          |                        |    |    |      |
| 22                         | Z0380011754   | SLIDE SUPPORT                         |          |                        |    |    |      |
| 23                         | VIT0002009    | SCREW ST HEAD CAP M3.5X6.5            |          |                        |    |    |      |
| 24                         | Z0380011755   | SLIDE                                 |          |                        |    |    |      |
| 25                         | VIT0002009NA  | SCREW STHEAD CAP 3,5X6,5 BLACK        |          |                        |    |    |      |
| 26                         | VIT0003115    | SPRING WASHER 3,7                     |          |                        |    |    |      |
| 27                         | Z0380011327   | SUPPORT                               |          |                        |    |    |      |
| 28                         | Z0380010431   | SPRING                                | X        |                        |    |    | X    |
| 29                         | Z0380011328   | BRACKET                               |          |                        |    |    |      |
| 30                         | Z0380011229NA | SUGAR CHUTE                           | X        | CK                     | CK | CK | CK   |
| 31                         | Z0380010424NA | SUGAR SPLITTER                        | X        | CK                     | CK | CK | CK   |
| 32                         | Z0380010599   | NOZZLE MOVEMENT BUTTON                | X        |                        |    |    |      |
| 33                         | Z0380011756NA | GEARBOX MOTOR COVER (BLACK)           |          |                        |    |    |      |
| 34                         | Z0380011551NA | NOZZLES HOLDER                        | X        |                        |    |    |      |
| 35/a                       | Z0380011665EB | COFFEE NOZZLE RAL8019                 | X        | CK                     | CK | CK | CK   |
| 35/b                       | Z0380011666CK | MILK NOZZLE (RAL7037)                 | X        | CK                     | CK | CK | CK   |
| 35/c                       | Z0380011667MD | THE NOZZLE RAL6032                    | X        | CK                     | CK | CK | CK   |
| 35/d                       | Z0380010657NA | ESPRESSO NOZZLE D. 5,7                | X        | CK                     | CK | CK | CK   |
| 39                         | Z0380010656NA | PLUG BLACK                            |          |                        |    |    |      |
| 40                         | Z0380011750CL | § PIPES MOVIMENT From pos.1 to pos.34 |          |                        |    |    |      |


Fixed sugar movement



| Fixed sugar movement |               |                            |          |                        |    |    |    |
|----------------------|---------------|----------------------------|----------|------------------------|----|----|----|
|                      |               |                            |          | Preventive Maintenance |    |    |    |
| Pos.                 | Code          | Description                | Critical | A                      | B  | C  | D  |
| 6                    | Z0380011700NA | NOZZLE HOLDER BLACK        |          |                        |    |    |    |
| 7                    | Z0380011551NA | NOZZLES HOLDER             | X        |                        |    |    |    |
| 8                    | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5 |          |                        |    |    |    |
| 13                   | Z0380011665EB | COFFEE NOZZLE RAL8019      | X        | CK                     | CK | CK | CK |
| 14                   | Z0380011667MD | THE NOZZLE RAL6032         | X        | CK                     | CK | CK | CK |
| 16                   | Z0380011666CK | MILK NOZZLE (RAL7037)      | X        | CK                     | CK | CK | CK |
| 17                   | Z0380011665EB | COFFEE NOZZLE RAL8019      | X        | CK                     | CK | CK | CK |
| 18                   | Z0380010656NA | PLUG BLACK                 |          |                        |    |    |    |




| PRO BREWER SUPPORT+MOTOR |                |                                                                                 |          |                        |    |    |    |
|--------------------------|----------------|---------------------------------------------------------------------------------|----------|------------------------|----|----|----|
|                          |                |                                                                                 |          | Preventive Maintenance |    |    |    |
| Pos.                     | Code           | Description                                                                     | Critical | A                      | B  | C  | D  |
| 1                        | Z0260014042    | VARIFLEX BREWER SUPPORT                                                         |          |                        |    |    |    |
| 2                        | ELE0001522     | MICROSWITCH                                                                     | X        |                        |    |    |    |
| 3                        | VIT0000006     | SCREW HEAD TAP CAP M3X16                                                        |          |                        |    |    |    |
| 4                        | VIT0004701     | NUT M3                                                                          |          |                        |    |    |    |
| 6                        | ELE0000931     | PROBE NTC 10K/TE                                                                | X        |                        |    |    |    |
| 7                        | VIT0004816     | NUT M4                                                                          |          |                        |    |    |    |
| 8                        | ELE0062020     | BOARD SUPPORT                                                                   |          |                        |    |    |    |
| 9                        |                | Heater board sold with code ELE0000467-02                                       |          |                        |    |    |    |
| 10                       | ELE0000467-02  | FAN HEATER 24V DC + BOARD                                                       | X        |                        |    |    |    |
| 11                       | VIT0003102     | SPRING WASHER 3,2                                                               |          |                        |    |    |    |
| 12                       | VIT0000002     | SCREW HEAD TAP CAP M3X6                                                         |          |                        |    |    |    |
| 13                       | Z0250014084-02 | FEMALE CONNECTOR                                                                |          |                        |    |    |    |
| 14                       | Z0260014009-01 | H2O CONNECTOR SUPPORT                                                           |          |                        |    |    |    |
| 15                       | VIT0002009     | SCREW ST HEAD CAP M3.5X6.5                                                      |          |                        |    |    |    |
| 16                       | TTEF02/04T     | PTFE PIPE 2X4                                                                   | X        | Y                      | Y  | Y  |    |
| 17                       | Z0250014086    | NUT                                                                             |          |                        |    |    |    |
| 18                       | Z0100002014    | LOCKING RING SO1-4                                                              |          |                        |    |    |    |
| 19                       | GUA0000061     | OR 2010 VITON 80 BLACK                                                          | X        | CK                     | CK | X  | X  |
| 20                       | Z0090002250R   | § VARIFLEX BREW. GEARBOX MOTOR From pos. 21 to pos. 37 (new version components) | X        |                        |    | CK | X  |
| 21                       | Z0090002252-01 | § MOTOR 24V DC New version                                                      |          |                        |    |    |    |
| 22                       | Z0090002222NA  | MOTOR UPPER CASE RAL9005 New version                                            |          |                        |    |    |    |
| 23                       | Z0090002223NA  | MOTOR LOWER CASE RAL9005 New version                                            |          |                        |    |    |    |
| 24                       | Z0090002224    | FEMALE CONNECTOR SHAFT                                                          |          |                        |    |    |    |
| 25/a                     | Z0090002255AN  | PULLEY New version from serial 20154600000                                      |          |                        |    |    |    |
| 25/b                     |                | For machine built before Serial n. 20154599999 pls order motor Z0090002250R     |          |                        |    |    |    |
| 26                       | VIT0006703     | CLAMP                                                                           |          |                        |    |    |    |
| 27                       | Z0090002226    | SPACER                                                                          |          |                        |    |    |    |
| 28/a                     | Z0090002258    | BELT New version from serial 20154600000                                        |          |                        |    |    |    |
| 28/b                     |                | For machine built before Serial n. 20154599999 pls order motor Z0090002250R     |          |                        |    |    |    |
| 29                       | VIT0009324     | BEARING                                                                         | X        |                        |    |    |    |
| 30                       | VIT0009320     | BEARING                                                                         | X        |                        |    |    | CK |
| 31                       | VIT0000017     | SCREW HEAD TAP CAP M5X20                                                        |          |                        |    |    |    |
| 32                       | VIT0003104     | SPRING WASHER 5,3                                                               |          |                        |    |    |    |
| 33                       | VIT0002469     | SCREW HEAD TAP M3.5X10                                                          |          |                        |    |    |    |
| 34                       | VIT0002014     | SCREW ST HEAD CAP M2.9X13                                                       |          |                        |    |    |    |
| 35                       | Z0090002240    | MOTOR SPACER                                                                    |          |                        |    |    |    |
| 36                       | Z0090002235CK  | MR GV BOARD COVER R.7037                                                        |          |                        |    |    |    |
| 37                       | GUA0010501     | ELECTRICAL GROMMET DG 7,5                                                       |          |                        |    |    |    |
| 38                       | VIT0000015     | SCREW HEAD TAP CAP M4X25                                                        |          |                        |    |    |    |
| 39                       | VIT0004815     | NUT M4                                                                          |          |                        |    |    |    |
| 40                       | VIT0002401     | SCREW ST HEAD CAP M3.5X9.5                                                      |          |                        |    |    |    |
| 41                       |                | PARTS NO MORE AVAILABLE                                                         |          |                        |    |    |    |
| 100                      | Z0250014086R   | § WATER INLET TUBE 0,15 mt From pos. 16 to pos. 19                              | X        | CK                     | Y  | Y  | Y  |
| 101                      | Z0090002224R   | § FEMALE CONNECTOR SHAFT From pos.24 to pos.30 excluded pos.28                  |          |                        |    |    |    |




| PROFESSIONAL BREWER GROUP D.45 |                |                                                                |          |                        |    |    |    |
|--------------------------------|----------------|----------------------------------------------------------------|----------|------------------------|----|----|----|
|                                |                |                                                                |          | Preventive Maintenance |    |    |    |
| Pos.                           | Code           | Description                                                    | Critical | A                      | B  | C  | D  |
| A                              | Z0250014008R   | § CHUTE D. 45                                                  | X        |                        |    |    |    |
| 1                              | Z0250014081    | SPRING                                                         | X        |                        |    |    |    |
| 2                              | GUA0011022     | PLUG                                                           |          |                        |    |    |    |
| B                              | Z0250014022R   | § INFUSION CHAMBER D.45 included internal components and elbow | X        |                        |    |    |    |
| C                              | Z0250014024R   | § BRUSH D.45                                                   | X        | X                      | X  | X  | X  |
| D                              | Z0250014028R   | § LOWER FILTER HOLDER D.45                                     | X        |                        |    |    |    |
| 3                              | GUA0000097     | OR 4131 RED SILICONE LSR70                                     | X        | CK                     | Y* | Y* | Y* |
| 4                              | Z0250014029    | COFFEE FILTER DIAM. 37.3                                       | X        | CK                     | Y  | Y  | Y  |
| 5                              | VIT0000121     | SCREW COUNT FLAT HEAD M3X8                                     |          |                        |    |    |    |
| 6                              | Z0250014027R1  | LOWER PISTON LOCK+SET SCREW                                    |          |                        |    |    |    |
| 7                              | GUA0000103     | OR 3075 SILICON                                                | X        | CK                     | Y* | Y* | Y* |
| E                              | Z0250014019R   | § FRONTAL COVER                                                |          |                        |    |    |    |
| 8                              | VIT0001009     | SCREW HEAD TAP CAP M4X16                                       |          |                        |    |    |    |
| 9                              | Z0250014013-04 | CYLINDRICAL GUIDE                                              |          |                        |    |    |    |
| F                              | Z0250014045R   | § UPPER FILTER HOLDER D.45                                     | X        |                        |    |    |    |
| 10                             | Z0250008211    | COFFEE FILTER 37,3                                             | X        | CK                     | Y  | Y  | Y  |
| 11                             | VIT0000129     | SCREW COUNT HEAD M3X12                                         |          |                        |    |    |    |
| 12                             | GUA0000045     | OR 108 VITON 80 BLACK                                          | X        | CK                     | Y* | Y* | Y* |
| 13                             | GUA0000097     | OR 4131 RED SILICONE LSR70                                     | X        | CK                     | Y* | Y* | Y* |
| 14                             | Z0250014048    | SPRING                                                         | X        | CK                     | X2 | X2 | X2 |
| 15                             | Z0250014086    | NUT                                                            |          |                        |    |    |    |
| 16                             | Z0250014085    | MALE CONNECTOR                                                 |          |                        |    |    |    |
| 17                             | GUA0000004     | OR 104 NBR AL 75 BLACK                                         | X        | CK                     | X  | X  | X  |
| G                              | Z0250014086CL1 | §WATER INLET TUBE 0,119 mt                                     |          |                        |    |    |    |
| I                              | Z0250014005R2  | §UPPER SUPPORT WITHOUT CHUTE                                   |          |                        |    |    |    |
| H                              | Z0250014020R   | § INFUSION CHAMBER D.45                                        | X        |                        |    |    |    |
| L                              | Z0250014012R   | § LOWER SUPPORT                                                |          |                        |    |    |    |
| 18                             | Z0250014077    | SPACER                                                         |          |                        |    |    |    |
| 19                             | VIT0009320     | BEARING                                                        | X        |                        |    |    | CK |
| 20                             | VIT0003113     | SPRING WASHER 6,4                                              |          |                        |    |    |    |
| 21                             | VIT0000249     | SCREW HEX HEAD M6X16                                           |          |                        |    |    |    |
| 22                             | Z0250014079    | WASHER D.15 D.6,5 SP.1,5                                       |          |                        |    |    |    |
| 23                             | VIT0009112     | NUT M4                                                         |          |                        |    |    |    |
| 24                             | Z0250014072    | PIN                                                            |          |                        |    |    |    |
| 25                             | VIT0000033     | SCREW HEAD TAP CAP M4X35                                       |          |                        |    |    |    |
| 26                             | VIT0001011     | SCREW HEAD TAP CAP M4X20                                       |          |                        |    |    |    |
| 27                             | VIT0001006     | SCREW HEAD TAP CAP M4X30                                       |          |                        |    |    |    |
| 28                             | Z0250014082    | BREWER STOPPER BUTTON                                          |          |                        |    |    |    |
| 29                             | VIT0002009     | SCREW ST HEAD CAP M3.5X6.5                                     |          |                        |    |    |    |
| 30                             | VIT0009318     | SPACER WASHER                                                  | X        |                        |    |    | CK |
| 31                             | VIT0009317     | BEARING                                                        | X        |                        |    |    | CK |
| 32                             | GUA0001007     | V RING GASKET VA16                                             | X        |                        |    |    | CK |
| 33                             | VIT0007011     | SET SCREW 4X4                                                  |          |                        |    |    |    |
| 34                             | Z0250014071    | NUT M8                                                         |          |                        |    |    |    |
| N                              | Z0250008132CL  | § COFFEE OUTLET PIPE                                           | X        |                        | X  |    |    |

| PROFESSIONAL BREWER GROUP D.45 |               |                             |   |  |  |  |  |
|--------------------------------|---------------|-----------------------------|---|--|--|--|--|
| 100                            | Z0250014000CL | COFFEE BREWER VARIFLEX D 45 | X |  |  |  |  |




| PROFESSIONAL BREWER GROUP D.36 |                |                                                                |          |                        |    |    |    |
|--------------------------------|----------------|----------------------------------------------------------------|----------|------------------------|----|----|----|
|                                |                |                                                                |          | Preventive Maintenance |    |    |    |
| Pos.                           | Code           | Description                                                    | Critical | A                      | B  | C  | D  |
| A                              | Z0250014033R   | § CHUTE D. 36                                                  | X        |                        |    |    |    |
| 1                              | Z0250014081    | SPRING                                                         | X        |                        |    |    |    |
| 2                              | GUA0011022     | PLUG                                                           |          |                        |    |    |    |
| B                              | Z0250014032R   | § INFUSION CHAMBER D.36 included internal components and elbow | X        |                        |    |    |    |
| C                              | Z0250014034R   | § BRUSH D.36                                                   | X        | X                      | X  | X  | X  |
| D                              | Z0250014038R   | § LOWER FILTER HOLDER D.36                                     | X        |                        |    |    |    |
| 3                              | GUA0000080     | OR 4112 RED SILICONE LSR70                                     | X        | CK                     | Y* | Y* | Y* |
| 4                              | Z0250008019    | COFFEE FILTER                                                  | X        | CK                     | Y  | Y  | Y  |
| 5                              | VIT0000121     | SCREW COUNT FLAT HEAD M3X8                                     |          |                        |    |    |    |
| 6                              | Z0250014027R1  | LOWER PISTON LOCK+SET SCREW                                    |          |                        |    |    |    |
| 7                              | GUA0000103     | OR 3075 SILICON                                                | X        | CK                     | Y* | Y* | Y* |
| E                              | Z0250014019R   | § FRONTAL COVER                                                |          |                        |    |    |    |
| 8                              | VIT0001009     | SCREW HEAD TAP CAP M4X16                                       |          |                        |    |    |    |
| 9                              | Z0250014013    |                                                                |          |                        |    |    |    |
| F                              | Z0250014040R   | § UPPER FILTER HOLDER D.36                                     | X        |                        |    |    |    |
| 10                             | Z0250008099    | COFFEE FILTER 33,4                                             | X        | CK                     | Y  | Y  | Y  |
| 11                             | VIT0000129     | SCREW COUNT HEAD M3X12                                         |          |                        |    |    |    |
| 12                             | GUA0000045     | OR 108 VITON 80 BLACK                                          | X        | CK                     | Y* | Y* | Y* |
| 13                             | GUA0000080     | OR 4112 RED SILICONE LSR70                                     | X        | CK                     | Y* | Y* | Y* |
| 14                             | Z0250014048    | SPRING                                                         | X        | CK                     | X2 | X2 | X2 |
| 15                             | Z0250014086    | NUT                                                            |          |                        |    |    |    |
| 16                             | Z0250014085    | MALE CONNECTOR                                                 |          |                        |    |    |    |
| 17                             | GUA0000004     | OR 104 NBR AL 75 BLACK                                         | X        | CK                     | X  | X  | X  |
| G                              | Z0250014086CL1 | §WATER INLET TUBE 0,119 mt                                     |          |                        |    |    |    |
| H                              | Z0250014030R   | § CHAMBER D.36                                                 | X        |                        |    |    |    |
| I                              | Z0250014005R2  | §UPPER SUPPORT WITHOUT CHUTE                                   |          |                        |    |    |    |
| L                              | Z0250014012R   | § LOWER SUPPORT                                                |          |                        |    |    |    |
| 18                             | Z0250014077    | SPACER                                                         |          |                        |    |    |    |
| 19                             | VIT0009320     | BEARING                                                        | X        |                        |    |    | CK |
| 20                             | VIT0003113     | SPRING WASHER 6,4                                              |          |                        |    |    |    |
| 21                             | VIT0000249     | SCREW HEX HEAD M6X16                                           |          |                        |    |    |    |
| 22                             | Z0250014079    | WASHER D.15 D.6,5 SP.1,5                                       |          |                        |    |    |    |
| 23                             | VIT0009112     | NUT M4                                                         |          |                        |    |    |    |
| 24                             | Z0250014072    | PIN                                                            |          |                        |    |    |    |
| 25                             | VIT0000033     | SCREW HEAD TAP CAP M4X35                                       |          |                        |    |    |    |
| 26                             | VIT0001011     | SCREW HEAD TAP CAP M4X20                                       |          |                        |    |    |    |
| 27                             | VIT0001006     | SCREW HEAD TAP CAP M4X30                                       |          |                        |    |    |    |
| 28                             | Z0250014082    | BREWER STOPPER BUTTON                                          |          |                        |    |    |    |
| 29                             | VIT0002009     | SCREW ST HEAD CAP M3.5X6.5                                     |          |                        |    |    |    |
| 30                             | VIT0009318     | SPACER WASHER                                                  | X        |                        |    |    | CK |
| 31                             | VIT0009317     | BEARING                                                        | X        |                        |    |    | CK |
| 32                             | GUA0001007     | V RING GASKET VA16                                             | X        |                        |    |    | CK |
| 33                             | VIT0007011     | SET SCREW 4X4                                                  |          |                        |    |    |    |
| 34                             | Z0250014071    | NUT M8                                                         |          |                        |    |    |    |
| N                              | Z0250008132CL  | § COFFEE OUTLET PIPE                                           | X        |                        | X  |    |    |

| PROFESSIONAL BREWER GROUP D.36 |               |                               |   |  |  |  |  |
|--------------------------------|---------------|-------------------------------|---|--|--|--|--|
| 100                            | Z0250014060CL | § COFFEE BREWER VARIFLEX D.36 | X |  |  |  |  |




| VARITHERM SUPPORT |               |                                     |          |                        |    |    |   |
|-------------------|---------------|-------------------------------------|----------|------------------------|----|----|---|
|                   |               |                                     |          | Preventive Maintenance |    |    |   |
| Pos.              | Code          | Description                         | Critical | A                      | B  | C  | D |
| 1                 | Z0600019756NA | VARITHERM SUPPORT                   |          |                        |    |    |   |
| 2                 |               | See table VARITHERM                 |          |                        |    |    |   |
| 3/a               | Z0110004063   | PUMP EP5 230V 50HZ                  | X        |                        | CK | X  |   |
| 3/b               | Z0110004067   | PUMP EP5 220V 60HZ For version 220V | X        |                        | CK | X  |   |
| 4                 | ELE0000915    | PUMP THERMOPROTECTOR                | X        |                        |    |    |   |
| 5                 | Z0110004023   | CONNECTOR                           | X        |                        |    |    |   |
| 6                 | Z0100003022   | T CONNECTOR 461 TS UL               | X        |                        |    |    |   |
| 7                 | Z0110001151R  | VALVE 3W W/BY-PASS 11BAR            | X        |                        | CK | X* |   |
| 8                 | Z0110004038   | PUMP SUPPORT                        |          |                        |    |    |   |
| 9                 | GUA0000043    | OR 109 NBR AL 75 BLACK              | X        |                        |    |    | X |
| 10                | 1600001098    | RUBBER SPACER D. 4,5                |          |                        |    |    |   |
| 11                | VIT0003301    | WASHER 4,3X12X1,5                   |          |                        |    |    |   |
| 12                | VIT0003103    | SPRING WASHER 4,3                   |          |                        |    |    |   |
| 13                | VIT0004503    | NUT M4                              |          |                        |    |    |   |
| 14                | VIT0000234    | SCREW HEX HEAD M4X12 A2             |          |                        |    |    |   |
| 15                | Z0600019757   | VALVE SUPPORT                       |          |                        |    |    |   |
| 16                | Z0110001140   | VALVE 2W 24V DC 6W                  | X        |                        | CK | X* |   |
| 17                | VIT0002401    | SCREW ST HEAD CAP M3.5X9.5          |          |                        |    |    |   |

VARITHERM




| VARITHERM |                |                                                                     |          |                        |    |    |   |
|-----------|----------------|---------------------------------------------------------------------|----------|------------------------|----|----|---|
|           |                |                                                                     |          | Preventive Maintenance |    |    |   |
| Pos.      | Code           | Description                                                         | Critical | A                      | B  | C  | D |
| 1/a       | Z0600019900R   | § VARITHERM INDUCTION SYS. TT With reference to the TSB-20180129-01 | X        |                        |    |    |   |
| 1/b       | KITXSG0036     | BY-PASS+ELBOW KIT With reference to the TSB-20180727-01             |          |                        |    |    |   |
| 1/c       | KITXSG0037     | COIL KIT With reference to the TSB-20180727-01                      |          |                        |    |    |   |
| 2         | Z0100001158    | FITTING ELBOW D6-D6 With reference to the TSB-20180727-01           | X        |                        |    |    |   |
| 3         | ELE0000986     | PROBE                                                               | X        |                        |    |    |   |
| 4         | ELE0000987     | CLIXSON 105°                                                        | X        |                        |    |    |   |
| 5         | Z0100001154    | T CONNECTOR                                                         |          |                        |    |    |   |
| 7         | Z0600019909    | COIL SUPPORT SPRING                                                 |          |                        |    |    |   |
| 10        | Z0100001156    | FITTING ELBOW D6-D6                                                 | X        |                        |    |    |   |
| 12        | Z0600019915-P3 | VALVE SUPPORT                                                       |          |                        |    |    |   |
| 13        | Z0110001130    | VALVE 2WX3INLET 24V DC 6W                                           | X        |                        | CK | X* |   |
| 14        | Z0100001150    | STRAIGHT CONNECTOR M G1/8 D6                                        |          |                        |    |    |   |
| 15        | Z0100001137-01 | ADAPTOR CYLINDRICAL G1/8 D.8                                        |          |                        |    |    |   |
| 16        | VIT0002011     | SCREW ST HEAD CAP M2.9X9.5                                          |          |                        |    |    |   |
| 17        | VIT0002009     | SCREW ST HEAD CAP M3.5X6.5                                          |          |                        |    |    |   |
| 18        | Z0600019913    | VALVE SUPPORT                                                       |          |                        |    |    |   |
| 19        | Z0110001140    | VALVE 2W 24V DC 6W                                                  | X        |                        | CK | X* |   |
| 20        | VIT0002401     | SCREW ST HEAD CAP M3.5X9.5                                          |          |                        |    |    |   |
| 21        | Z0600019915-P3 | VALVE SUPPORT                                                       |          |                        |    |    |   |
| 22        | Z0110001145    | VALVE 3WAY 5W 24V DC                                                | X        |                        | CK | X* |   |
| 23        | Z0100001104    | ELBOW 4-1/8 CONNECTOR                                               |          |                        |    |    |   |

GRINDER




| GRINDER |                  |                                                     |          |                        |    |    |    |
|---------|------------------|-----------------------------------------------------|----------|------------------------|----|----|----|
|         |                  |                                                     |          | Preventive Maintenance |    |    |    |
| Pos.    | Code             | Description                                         | Critical | A                      | B  | C  | D  |
| 1       | Z0320001639NAR   | § MOTOR SUPPORT BLACK+PLUG                          |          |                        |    |    |    |
| 2       | Z0320001602NAR   | GRINDER BLADES SUPPORT                              |          |                        |    |    |    |
| 3       | VIT0009325       | BEARING                                             | X        |                        |    |    | CK |
| 4       | Z0320001608R     | TRANSMISSION WHEEL                                  | X        |                        |    |    | CK |
| 5       | Z0320001629      | CUP SPRING 16x8,2 SP. 0,4                           |          |                        |    |    |    |
| 6       | Z0320001625      | BUSH                                                |          |                        |    |    |    |
| 7       | Z0320001704      | GRINDER ROTATION PIN REINFORCE                      | X        |                        | CK | CK | CK |
| 8       | Z0320001636      | EJECTOR                                             | X        |                        |    | CK |    |
| 9       | VIT0000121       | SCREW COUNT FLAT HEAD M3X8                          |          |                        |    |    |    |
| 10      | Z0320001680      | CONIC BLADES PLUS                                   | X        |                        | CK |    | X  |
| 11      | Z0320001642      | LOWER GRINDER FIXING NUT                            |          |                        |    |    |    |
| 12      | Z0320001643      | SPRING D.4X15X0,6                                   |          |                        |    |    |    |
| 13      | Z0320001624      | REGULATION PIN                                      |          |                        |    |    |    |
| 14      | Z0320001605NAR   | § REGULATION RING NUT BLACK                         |          |                        |    |    |    |
| 15      | Z0320001635-03NA | GRINDER SUPPORT BLACK                               |          |                        |    |    |    |
| 16      | GUA0000124       | SILICONE OR 2137                                    | X        |                        | X  |    |    |
| 17      | Z0320001622      | UPPER GRINDER FIXING                                |          |                        |    |    |    |
| 18      | VIT0002469       | SCREW HEAD TAP M3.5X10                              |          |                        |    |    |    |
| 19      | Z0320001666      | SPACER D.4x7x2                                      |          |                        |    |    |    |
| 20      | VIT0003103       | SPRING WASHER 4,3                                   |          |                        |    |    |    |
| 21      | Z0320001607NA    | DUCT BLACK                                          |          |                        |    |    |    |
| 22      | VIT0002010       | SCREW ST HEAD CAP M3.5X9.5                          |          |                        |    |    |    |
| 23      | Z0320001604NA    | PLUG BLACK                                          |          |                        |    |    |    |
| 24      | Z0090003047      | GRINDER MOTOR 230V DC                               | X        |                        |    |    | CK |
| 25      | VIT0000013       | SCREW HEAD TAP CAP M4X12                            |          |                        |    |    |    |
| 26      | VIT0003103       | SPRING WASHER 4,3                                   |          |                        |    |    |    |
| 27      | Z0320004736-04   | GRINDER CHUTE R.2011                                | X        |                        |    |    |    |
| 28      | Z0320001615NA    | GRINDER SENSOR COVER BLACK                          |          |                        |    |    |    |
| 29      | Z0320001628      | NO-VIBRATION BUSH                                   |          |                        |    |    |    |
| 30      | VIT0000012       | SCREW HEAD TAP CAP M4X10                            |          |                        |    |    |    |
| 100     | Z0320001601CL3AL | §GRINDER VRFX 15° BREWER PLUS From pos.1 to pos. 28 | X        |                        |    |    | CK |




| VARIGRIND |                  |                                                                    |          |                        |    |    |    |
|-----------|------------------|--------------------------------------------------------------------|----------|------------------------|----|----|----|
|           |                  |                                                                    |          | Preventive Maintenance |    |    |    |
| Pos.      | Code             | Description                                                        | Critical | A                      | B  | C  | D  |
| 1         | Z0320001639NAR   | § MOTOR SUPPORT BLACK+PLUG                                         |          |                        |    |    |    |
| 2         | Z0320001602NAR   | GRINDER BLADES SUPPORT                                             |          |                        |    |    |    |
| 3         | VIT0009325       | BEARING                                                            | X        |                        |    |    | CK |
| 4         | Z0320001608R     | TRANSMISSION WHEEL                                                 | X        |                        |    |    | CK |
| 5         | Z0320001629      | CUP SPRING 16x8,2 SP. 0,4                                          |          |                        |    |    |    |
| 6         | Z0320001625      | BUSH                                                               |          |                        |    |    |    |
| 7         | Z0320001704      | GRINDER ROTATION PIN REINFORCE                                     | X        |                        | CK | CK | CK |
| 8         | Z0320001636      | EJECTOR                                                            | X        |                        |    | CK |    |
| 9         | VIT0000121       | SCREW COUNT FLAT HEAD M3X8                                         |          |                        |    |    |    |
| 10        | Z0320001680      | CONIC BLADES PLUS                                                  | X        |                        | CK |    | X  |
| 11        | Z0320001642      | LOWER GRINDER FIXING NUT                                           |          |                        |    |    |    |
| 14        | Z0320001663NA    | GRINDER REGULATION RING BLACK                                      |          |                        |    |    |    |
| 15        | Z0320001635-03NA | GRINDER SUPPORT BLACK                                              |          |                        |    |    |    |
| 16        | GUA0000124       | SILICONE OR 2137                                                   | X        |                        | X  |    |    |
| 17        | Z0320001622      | UPPER GRINDER FIXING                                               |          |                        |    |    |    |
| 18        | VIT0002469       | SCREW HEAD TAP M3.5X10                                             |          |                        |    |    |    |
| 19        | Z0320001666      | SPACER D.4x7x2                                                     |          |                        |    |    |    |
| 20        | VIT0003103       | SPRING WASHER 4,3                                                  |          |                        |    |    |    |
| 21        | Z0320001607NA    | DUCT BLACK                                                         |          |                        |    |    |    |
| 22        | VIT0002469       | SCREW HEAD TAP M3.5X10                                             |          |                        |    |    |    |
| 23        | Z0320001604NA    | PLUG BLACK                                                         |          |                        |    |    |    |
| 24        | Z0090003047      | GRINDER MOTOR 230V DC                                              | X        |                        |    |    | CK |
| 25        | VIT0000013       | SCREW HEAD TAP CAP M4X12                                           |          |                        |    |    |    |
| 26        | VIT0003103       | SPRING WASHER 4,3                                                  |          |                        |    |    |    |
| 27        | Z0320004736-04   | GRINDER CHUTE R.2011                                               | X        |                        |    |    |    |
| 28        | Z0320001615NA    | GRINDER SENSOR COVER BLACK                                         |          |                        |    |    |    |
| 29        | Z0320001628      | NO-VIBRATION BUSH                                                  |          |                        |    |    |    |
| 30        | VIT0000012       | SCREW HEAD TAP CAP M4X10                                           |          |                        |    |    |    |
| 31        | Z0320001672      | GRINDER GEARBOX MOTOR SUPPORT                                      |          |                        |    |    |    |
| 32        | Z0090002042R     | § GEAR MOTOR 2,2RPM24VDC+FILT                                      | X        |                        |    |    |    |
| 33        | SCH0003740       | MOTOR FILTER                                                       | X        |                        |    |    |    |
| 34        | VIT0005519       | SCREW TCEI 4x12 STAIL STEEL                                        |          |                        |    |    |    |
| 35        | VIT0003103       | SPRING WASHER 4,3                                                  |          |                        |    |    |    |
| 36        | VIT0003301       | WASHER 4,3X12X1,5                                                  |          |                        |    |    |    |
| 37        | VIT0004803       | NUT M4                                                             |          |                        |    |    |    |
| 38        | Z0320001654      | GRINDER PULLEY                                                     |          |                        |    |    |    |
| 39        | VIT0007011       | SET SCREW 4X4                                                      |          |                        |    |    |    |
| 40        | Z0320001670      | PULLEY POTENTIOMETER from serial 20204430247                       |          |                        |    |    |    |
| 41        | Z0320001657      | GRINDER BELT                                                       | X        |                        |    |    |    |
| 42        | CBLXS00317       | VARIGRINDER WIRING from serial 20204430247                         |          |                        |    |    |    |
| 100       | Z0320001671CL3   | §VARIGRINDER VARIFLEX 15° From pos.1 to pos. 42 excluded pos.29+30 | X        |                        |    |    | CK |
| 101       | Z0320001670R     | §PULLEY POTENTIOMETER+WIRING pos.40+42 Up to serial 20204631820    |          |                        |    |    |    |

water inlet panel




| water inlet panel |               |                           |          |                        |    |    |    |
|-------------------|---------------|---------------------------|----------|------------------------|----|----|----|
|                   |               |                           |          | Preventive Maintenance |    |    |    |
| Pos.              | Code          | Description               | Critical | A                      | B  | C  | D  |
| 2                 | Z0800013041   | AIR BREAK TANK            |          |                        |    |    |    |
| 3                 | Z0110020007   | PLASTIC FILTER DIAM. 20   | X        |                        |    | X  |    |
| 4/a               | TSIL07/11T-10 | SILICON HOSE 7X11 MT.10   | X        | Y                      | Y  | Y  | Y  |
| 4/b               | TSIL07/11T-50 | SILICON HOSE 7X11 MT.50   |          |                        |    |    |    |
| 5                 | Z0100001065   | CONNECTOR "Y"             |          |                        |    |    |    |
| 6                 | 650001057     | DRAINER PLUG              |          |                        |    |    |    |
| 7                 | Z0800009211   | ELBOW CONNECTOR           | X        |                        |    |    | X  |
| 8                 | GUA0000043    | OR 109 NBR AL 75 BLACK    | X        |                        |    |    | X  |
| 9                 | Z0110007003   | VOLUMETRIC COUNTER        | X        | CK                     | CK | CK | X  |
| 10                | VIT0004701    | NUT M3                    |          |                        |    |    |    |
| 11                | Z0800013043   | AIR BREAK COVER           |          |                        |    |    |    |
| 12                | Z0800013046   | AIR BREAK WASTE FLOAT     | X        |                        |    |    |    |
| 13                | GUA0000082    | SILICON GASKET D.6        | X        |                        | CK |    | CK |
| 14                | ELE0001514    | MICROSWITCH 3A 125-250VA  | X        |                        |    | CK | X  |
| 15                | VIT0002013    | SCREW ST HEAD CAP M2.9X19 |          |                        |    |    |    |
| 16                | ELE0000985    | PROBE 135xD.4             | X        | CK                     | CK | CK | CK |

coffee beans container



| coffee beans container |                |                                           |          |                        |   |   |   |
|------------------------|----------------|-------------------------------------------|----------|------------------------|---|---|---|
|                        |                |                                           |          | Preventive Maintenance |   |   |   |
| Pos.                   | Code           | Description                               | Critical | A                      | B | C | D |
| 1/a                    | Z0230015738-03 | GRINDER COVER                             |          |                        |   |   |   |
| 1/b                    | Z0230015743NA  | GRINDER COVER VARIGRIND                   |          |                        |   |   |   |
| 2/a                    | ELE0001522CL   | § MICROSWITCH + LEVER + FASTON            | X        |                        |   |   |   |
| 2/b                    | ELE0001535CLR  | §MICROSWITCH GRINDER SAFETY               | X        |                        |   |   |   |
| 3                      | Z0230015229-02 | REGULATION COVER                          |          |                        |   |   |   |
| 3                      | Z0230015229-02 | REGULATION COVER                          |          |                        |   |   |   |
| 4                      | Z0230015171    | COFFEE BEANS HOPPER                       |          |                        |   |   |   |
| 5                      | Z0230015231-02 | COFFEE BEANS HOPPER ADAPTOR               |          |                        |   |   |   |
| 6                      | Z0230015224IC  | COFFEE BEANS HOPPER STOPPER               |          |                        |   |   |   |
| 7                      | VIT0002114     | SCREW COUNT FLAT HEAD M3.5X16             |          |                        |   |   |   |
| 8                      | Z0230015227TR  | GRINDER COVER                             |          |                        |   |   |   |
| 9                      | Z0230015172    | COFFEE BEANS HOPPER LID                   |          |                        |   |   |   |
| 10                     | ELE0001911     | MICROSWITCH LEVER                         | X        |                        |   | X |   |
| 100                    | Z0230015170CL1 | § COFFEE BEANS HOPPER From pos.4 to pos.9 |          |                        |   |   |   |




| products container |                |                                  |          |                        |    |    |   |
|--------------------|----------------|----------------------------------|----------|------------------------|----|----|---|
|                    |                |                                  |          | Preventive Maintenance |    |    |   |
| Pos.               | Code           | Description                      | Critical | A                      | B  | C  | D |
| 1                  | Z0230030233    | INGREDIENT CANISTER 54 265       |          |                        |    |    |   |
| 2                  | Z0230030236AB  | § WHEEL MM54                     | X        |                        | CK |    | X |
| 3                  | Z0230030012    | SPIRAL PIN                       |          |                        |    |    |   |
| 4                  | GUA0000083     | OR 123 RED SILICONE A70          | X        |                        | CK |    | X |
| 5/a                | Z0230030014    | SPIRAL 18                        | X        |                        |    |    |   |
| 5/b                | Z0230030013    | SPIRAL 9                         | X        |                        |    |    |   |
| 6                  | VIT0005106     | PIN 2X14                         |          |                        |    |    |   |
| 7                  | Z0230030011    | REAR BUSH                        | X        |                        |    | CK | X |
| 8                  | Z0230030234    | § CANISTER 110-265 W/PIN         | X        |                        |    |    |   |
| 9                  | Z0230030237AB  | § WHEEL MM110                    | X        |                        | CK |    | X |
| 10/a               | Z0230030064    | AGITATOR 112 - RIGHT OUTLET      | X        |                        | CK | CK | X |
| 10/b               | Z0230030062    | AGITATOR 112 - LEFT OUTLET       | X        |                        | CK | CK | X |
| 11                 | VIT0003210     | WASHER 8,4X16X1,6                |          |                        |    |    |   |
| 12                 | Z0230030006    | CANISTER 55 LID                  |          |                        |    |    |   |
| 13                 | Z0230030009    | CANISTER 112 LID                 |          |                        |    |    |   |
| 14/a               | Z0230030198R   | § INGRED. CHUTE-RIGHT ORANGE     | X        |                        |    |    |   |
| 14/b               | Z0230030187R   | § INGREDIENT CHUTE-RIGHT RED     | X        |                        |    |    |   |
| 15/a               | Z0230030197R   | § INGREDIENT CHUTE-LEFT ORANGE   | X        |                        |    |    |   |
| 15/b               | Z0230030186R   | § INGREDIENT CHUTE-LEFT RED      | X        |                        |    |    |   |
| 16/a               | Z0230030199R   | § INGRED. CHUTE-FRONTALORANGE    | X        |                        |    |    |   |
| 16/b               | Z0230030188R   | § INGREDIENT CHUTE-FRONTAL RED   | X        |                        |    |    |   |
| 17                 | Z0230030060-05 | PRODUCT AGITATOR                 | X        |                        | CK | CK | X |
| 18                 | Z0230030239    | WHEEL PIN FORK                   | X        |                        |    |    |   |
| 19                 | Z0230030238-02 | WHEEL PIN                        | X        |                        |    |    |   |
| 100                | Z0230030013CL  | § SPIRAL 9                       |          |                        |    |    |   |
| 101                | Z0230030014CL  | § SPIRAL 18                      |          |                        |    |    |   |
| 102                | Z0230030250R   | § CANIS. 54-265 WHEEL18 W/LID    | X        |                        |    |    |   |
| 103                | Z0230030251R   | § CANIS. 54-265 WHEEL9 W/LID     | X        |                        |    |    |   |
| 104                | Z0230030254R   | § CANIS. 54-265 SPIRAL9 W/LID    | X        |                        |    |    |   |
| 105                | Z0230030260R   | § CAN. 110-265 AGIT.18 W/LID-R   | X        |                        |    |    |   |
| 107                | Z0230030262R   | § CAN. 110-265 AGIT.18 W/LID-L   | X        |                        |    |    |   |
| 108                | Z0230030233R   | § CANISTER 54-265 Pos. 1+2+18+19 | X        |                        |    |    |   |

# WIRINGS

| WIRINGS |            |                                |          |                        |   |   |   |
|---------|------------|--------------------------------|----------|------------------------|---|---|---|
|         |            |                                |          | Preventive Maintenance |   |   |   |
| Pos.    | Code       | Description                    | Critical | A                      | B | C | D |
| 1       | CBLXS00276 | PUMP WIRING                    |          |                        |   |   |   |
| 2       | CBLXM00126 | VARITH BOARD POWER WIRING 230V |          |                        |   |   |   |
| 3       | CBLXS00009 | THERMOSTAT EXTENSION WIRING    |          |                        |   |   |   |
| 4       | CBLXS00246 | 16A SWITCHING POWER WIRING     |          |                        |   |   |   |
| 5       | CBLXS00007 | GROUND WIRING                  |          |                        |   |   |   |
| 6       | CBLXS00032 | GROUND WIRING                  |          |                        |   |   |   |
| 7       | CBLEXE0001 | EXTENSION WIRING 1MT           |          |                        |   |   |   |
| 8       | CBLEXE0002 | EXTENSION EXECUTIVE WIRING     |          |                        |   |   |   |
| 9       | CBLMDB0003 | MDB EXTENSION WIRING (1MT)     |          |                        |   |   |   |
| 10      | CBLXM00127 | FAN WIRING                     |          |                        |   |   |   |
| 11      | CBLXM00101 | WIRING 220                     |          |                        |   |   |   |
| 12      | CBLXM00125 | 24V ACTUATOR WIRING            |          |                        |   |   |   |
| 13      | CBLXSC0047 | WIRING 24V                     |          |                        |   |   |   |
| 14      | CBLXSC0007 | DOOR WIRING 24V                | X        |                        |   |   |   |
| 15      | CBLXS00005 | CAMS MOTOR WIRING              |          |                        |   |   |   |
| 16      | CBLXM00105 | CUP DISPENSER WIRING           |          |                        |   |   |   |
| 17      | CBLXM00106 | DOOR SWITCHING WIRING          |          |                        |   |   |   |
| 18      | CBLXS00317 | VARIGRINDER WIRING             |          |                        |   |   |   |
| 19      | CBLXS00263 | GRINDER WIRING                 |          |                        |   |   |   |
| 20      | CBLXM00107 | DELIVERY AREA LIGHTING WIRING  |          |                        |   |   |   |
| 21      | CBLXM00108 | LOGO ENLIGHTENMENT WIRING      |          |                        |   |   |   |
| 22      | CBLXM00110 | MED LABELS ENLIGHTING WIRING   |          |                        |   |   |   |
| 23      | CBLXM00111 | LABELS ENLIGHTENMENT WIRING    |          |                        |   |   |   |
| 24      | CBLXM00112 | DISPLAY BOARD WIRING           |          |                        |   |   |   |
| 25      | CBL4200030 | DOOR WIRING 24V                |          |                        |   |   |   |
| 26      | CBLXS00311 | SUPPLY DOOR 5/24V WIRING       |          |                        |   |   |   |

STM 32 BOARD



| STM 32 BOARD |              |                                                                                                 |          |                        |   |   |   |
|--------------|--------------|-------------------------------------------------------------------------------------------------|----------|------------------------|---|---|---|
|              |              |                                                                                                 |          | Preventive Maintenance |   |   |   |
| Pos.         | Code         | Description                                                                                     | Critical | A                      | B | C | D |
| 1            | BRD05003     | POWER BOARD TT 220V                                                                             | X        |                        |   |   |   |
| 2            | BRD03009R-02 | SCARRIER BOARD+SOM TT                                                                           |          |                        |   |   |   |
| 100          | BRD05003R    | SBOARD CARR.+SOM+POWER TT 220V To buy if the distributor is produced before the s/n 20251399999 | X        |                        |   |   |   |

The recommended replacement for key parts in the table below, is especially oriented towards machines installed in locations placed far from the headquarter and infrequently visited.

The numbers have been collected on the basis of field experience and should be taken only as a reference. they are subject to change depending on, local operating conditions and therefore must be adapted to local environments.

The replacement numbers are based on a regular maintenance, as described in the technical manual of the respective machine, and also on a good practice of hygienic cleaning and based on using water-filtering systems to avoid high carbonate hardness and bad water quality.

|              |      |               |                           |          | Preventive Maintenance |    |    |    | Recommended Spare Parts (considering the number of vending machines) (*1) |       |     |
|--------------|------|---------------|---------------------------|----------|------------------------|----|----|----|---------------------------------------------------------------------------|-------|-----|
| Table        | Pos. | Code          | Description               | Critical | A                      | B  | C  | D  | 1-10                                                                      | 11-50 | >51 |
| cabinet      | 3    | Z0090002113   | MOTOR 24 DC 97 RPM        | X        |                        |    |    | X  | 1                                                                         | 2     | 2   |
| cabinet      | 9    | SER00000020   | LOCK MM20 C.3425          | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| cabinet      | 29   | VIT0010206    | GAS SPRING 408692         | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| rear cabinet | 4    | ELE0000465R   | § TRAP 24V DC             | X        |                        | CK | X  |    | 1                                                                         | 1     | 2   |
| rear cabinet | 6    | TEOL000002CL2 | EXTRACTOR TUBE D.30 220MM | X        |                        |    |    | X  | 1                                                                         | 2     | 2   |
| rear cabinet | 8    | ELE0000462    | FAN 24V DC-LOW SPEED      | X        |                        |    | X  |    | 1                                                                         | 1     | 2   |
| rear cabinet | 12   | ELE0002020    | BIPOLAR SWITCH 20A 250V   | X        |                        |    |    |    | 1                                                                         | 1     | 1   |
| rear cabinet | 13   | ELE0002350    | MAINS SOCKET 16A          | X        |                        |    |    |    | 1                                                                         | 1     | 1   |
| rear cabinet | 16   | SCH0009864    | VARITHERM BOARD_3         | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| rear cabinet | 17   | ELE0000989CL  | PROBE                     | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| rear cabinet | 18   | ELE0000461    | FAN 24V DC-HIGH SPEED     | X        | CK                     | CK | CK | X* | 2                                                                         | 2     | 4   |
| rear cabinet | 19   | ELE0009066    | NOISE FILTER 16A          | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| rear cabinet | 22   | Z0600016455   | H2O OUTLET PLUG           | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| rear cabinet | 23   | Z0010027043NA | EXTRACTOR TUBE BLACK      | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| rear cabinet | 24   | Z0110001086   | WATER INLET VALVE 24V DC  | X        |                        | CK | X* |    | 1                                                                         | 2     | 3   |
| UPPER COVER  | 3    | ELE0002019    | SWITCH 16A 250V           | X        |                        |    |    | CK | 1                                                                         | 1     | 1   |
| UPPER COVER  | 10   | Z0270011109   | SERVICE KEY               | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| DOOR         | 6    | 4050010074    | COIN RETURN BUTTON SPRING | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| DOOR         | 12   | VIT0007102    | BENZING CLIP              | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| DOOR         | 27/a | SER0000001/1  | INOX LOCK C6802           | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| DOOR         | 27/b | SER00000023   | LOCK RIELDA               | X        |                        |    |    |    | 1                                                                         | 1     | 2   |

|                                |      |                |                                |          | Preventive Maintenance |   |    |      | Recommended Spare Parts (considering the number of vending machines) (*1) |       |     |
|--------------------------------|------|----------------|--------------------------------|----------|------------------------|---|----|------|---------------------------------------------------------------------------|-------|-----|
| Table                          | Pos. | Code           | Description                    | Critical | A                      | B | C  | D    | 1-10                                                                      | 11-50 | >51 |
| DOOR                           | 36   | SCH0006261     | RFID CARD READER_1             | X        |                        |   |    |      | 1                                                                         | 1     | 1   |
| LIGHTING GLASS                 | 2    | ELE0000475     | CAPACITIVE KEYPAD-12 BUTTONS   | X        |                        |   |    |      | 1                                                                         | 1     | 2   |
| LIGHTING GLASS                 | 8    | ELE0000474     | KEYPAD- 2 BUTTONS              | X        |                        |   |    |      | 1                                                                         | 1     | 2   |
| LIGHTING GLASS                 | 9    | SCH0009982CL1  | § LCD BOARD 3,5" CD            | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| LIGHTING GLASS                 | 11   | SCH0009983-01  | 3,5" DISPLAY BOARD             | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| CUPS STATION FLAP              | 15   | ELT0006813     | DISTANCE SENSOR                | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| TURRET DB SUPPORT              | 3    | SCH0009601     | KEYPAD BOARD                   | X        |                        |   |    |      | 1                                                                         | 1     | 2   |
| TURRET DB SUPPORT              | 20   | VIT0009330     | BEARING D.8                    | X        |                        |   |    |      | 1                                                                         | 1     | 2   |
| TURRET DB SUPPORT              | 21   | VIT0009327     | BEARING                        | X        |                        |   |    |      | 1                                                                         | 1     | 2   |
| TURRET DB SUPPORT              | 22   | Z0190014026NAR | § FORK SHAFT (BLACK)+INSERT    | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| TURRET DB SUPPORT              | 23   | SCH0006940     | TUBES SENSOR                   | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| TURRET DB SUPPORT              | 24   | Z0190014052    | FORK PULLEY                    | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| TURRET DB SUPPORT              | 31   | Z0190014025    | TOOTHED BELT                   | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| TURRET DB SUPPORT              | 44   | Z0090002047R2  | §MOTOR 18RPM 24V+PULLEY+REINF. | X        |                        |   |    |      | 1                                                                         | 1     | 2   |
| TURRET DB SUPPORT              | 100  | Z0190014050R   | § CUP FORK MOVEMENT            | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| cups loader                    | 2/a  | Z0190006543-01 | MICROSWITCH LEVER WHITE        | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| cups loader                    | 2/b  | Z0190006556KA  | MICROSWITCH LEVER RAL3020      | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| cups loader                    | 3    | ELE0001530     | MICROSWITCH 3A 125-250VA       | X        |                        |   | X  |      | 1                                                                         | 2     | 2   |
| cups loader                    | 8    | Z0190006503    | Z26 WHEEL TURRET (WHITE)       | X        |                        |   | CK |      | 1                                                                         | 1     | 2   |
| cups loader                    | 9    | Z0190006564    | TURRET SHAFT                   | X        |                        |   | CK |      | 1                                                                         | 2     | 2   |
| cups loader                    | 10   | VIT0005203     | DOWEL PIN 4X18                 | X        |                        |   | CK |      | 1                                                                         | 1     | 2   |
| cups loader                    | 11   | Z0190006544    | Z16 PINION WHITE               | X        |                        |   | CK |      | 1                                                                         | 2     | 2   |
| cups loader                    | 12   | Z0190006537CY  | TURRET CUP CONNEC. 4C. RAL9018 | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| cups loader                    | 18   | Z0190006511NA  | CUPS TURRET SPINDLE BLACK      | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| cups loader                    | 19   | Z0190006528    | Z26 WHEEL WHITE                | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| cups loader                    | 20/a | Z0190006523    | TOOTHED RING NUT D.70/73       | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| cups loader                    | 20/b | Z0190006507    | TOOTHED RING NUT D.78/80 WHITE | X        |                        |   |    | X*   | 1                                                                         | 1     | 2   |
| cups loader                    | 27   | Z0090002114R2  | § GEARBOX MOTOR 11RPM 24V DC   | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| cups loader                    | 28   | SCH0007000     | SPLIT UP SENSOR                | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| cups loader                    | 30   | Z0190006518    | TOOTHED SHAFT Z18 WHITE        | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| cups loader                    | 31   | Z0090002123R   | § GEARBOX MOTOR 5,5RPM 24V DC  | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 2/a  | Z0190006543-01 | MICROSWITCH LEVER WHITE        | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 2/b  | Z0190006556KA  | MICROSWITCH LEVER RAL3020      | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 3    | ELE0001530     | MICROSWITCH 3A 125-250VA       | X        |                        |   | X  |      | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 6    | VIT0005223     | PIN 4X18 DIN 1475              | X        |                        |   |    | X(1) | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 8    | Z0190006537CY  | TURRET CUP CONNEC. 4C. RAL9018 | X        |                        |   |    |      | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 15   | Z0190006511NA  | CUPS TURRET SPINDLE BLACK      | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 16   | Z0190006528    | Z26 WHEEL WHITE                | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 17/a | Z0190006523    | TOOTHED RING NUT D.70/73       | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 17/b | Z0190006507    | TOOTHED RING NUT D.78/80 WHITE | X        |                        |   |    | X*   | 1                                                                         | 1     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 24   | Z0090002114R2  | § GEARBOX MOTOR 11RPM 24V DC   | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 25   | SCH0007000     | SPLIT UP SENSOR                | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| CUPS LOADER with DOUBLE SWITCH | 27   | Z0190006518    | TOOTHED SHAFT Z18 WHITE        | X        |                        |   |    | X*   | 1                                                                         | 2     | 2   |
| stirrer dispenser              | 7    | ELE0000062     | 15% 24VDC ELECTROMAGNET W/FAST | X        |                        |   |    | X    | 1                                                                         | 2     | 2   |
| stirrer dispenser              | 9    | Z0380011419    | SPRING                         | X        |                        |   |    | X    | 1                                                                         | 2     | 2   |

|                            |      |               |                              |          | Preventive Maintenance |    |    |      | Recommended Spare Parts (considering the number of vending machines) (*1) |       |     |
|----------------------------|------|---------------|------------------------------|----------|------------------------|----|----|------|---------------------------------------------------------------------------|-------|-----|
| Table                      | Pos. | Code          | Description                  | Critical | A                      | B  | C  | D    | 1-10                                                                      | 11-50 | >51 |
| stirrer dispenser          | 10   | VIT0005212    | DOWEL PIN 2.5X24             | X        |                        | X  |    |      | 1                                                                         | 1     | 1   |
| stirrer dispenser          | 13   | Z0450003010   | SPRING                       | X        |                        |    |    | X*   | 1                                                                         | 2     | 2   |
| stirrer dispenser          | 20/a | 4001012030    | STIRRER WEIGHT 89MM          | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| stirrer dispenser          | 20/b | Z0450003033   | STIRRER WEIGHT 104MM         | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| mixer plan                 | 4    | Z0380011551NA | NOZZLES HOLDER               | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| mixer plan                 | 6    | Z0380010657NA | ESPRESSO NOZZLE D. 5,7       | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| mixer plan                 | 7    | Z0380011666CK | MILK NOZZLE (RAL7037)        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| mixer plan                 | 8    | Z0380011665EB | COFFEE NOZZLE RAL8019        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| mixer plan                 | 12   | Z0070035010CL | § DRIP TRAY SENSOR SUPPORT   | X        |                        |    |    |      | 1                                                                         | 2     | 3   |
| MIXERS SUPPORT             | 6    | Z0010027022   | TRAP DRAWER REMOVABLE        | X        |                        |    |    |      | 2                                                                         | 4     | 8   |
| MIXERS SUPPORT             | 9    | Z0080100153   | MIXER CONNECTOR G 1/8 BLACK  | X        | Y*                     | Y* | Y* | Y*   | 2                                                                         | 4     | 6   |
| MIXERS SUPPORT             | 10   | Z0110001130   | VALVE 2WX3INLET 24V DC 6W    | X        |                        | CK | X* |      | 1                                                                         | 2     | 3   |
| mixer                      | 1    | GUA0000084    | OR 3131 RED SILICONE A60     | X        | Y                      | Y  | Y  | Y    | 10                                                                        | 20    | 20  |
| mixer                      | 3    | Z0080100009IC | MIXER MOTOR SUPPORT RAL2011  | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| mixer                      | 4    | Z0080100251NA | MIXER FUN                    | X        | X                      | X  | X  | X    | 1                                                                         | 1     | 1   |
| mixer                      | 5    | Z0080100102   | MIXER SHAFT GASKET           | X        | CK                     | Y  | Y  | Y    | 1                                                                         | 1     | 2   |
| mixer                      | 6    | Z0080100015   | MIXER BUSH                   | X        |                        |    |    |      | 5                                                                         | 10    | 10  |
| mixer                      | 9    | Z0090003023   | MIXER MOTOR 24V DC SHAFT D.4 | X        |                        |    |    | X    | 5                                                                         | 10    | 10  |
| mixer                      | 11/a | Z0080200101L  | MIXING BOWL L.W/H20 BREAKER  | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| mixer                      | 11/b | Z0080200102R  | MIXING BOWL R.W/H20 BREAKER  | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| mixer                      | 11/c | Z0080200103C  | MIXING BOWL F.W/H20 BREAKER  | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| mixer                      | 12   | Z0080100006IC | LOCK RING RAL2011            | X        |                        |    |    |      | 5                                                                         | 10    | 10  |
| mixer                      | 100  | Z0080100001R1 | § MIXER BOWL BASE+MOTOR      | X        |                        |    |    |      | 5                                                                         | 10    | 10  |
| extractable sugar movement | 1    | Z0090002114R1 | § GEARBOX MOTOR 11RPM 24V DC | X        |                        |    |    | X(1) | 1                                                                         | 2     | 2   |
| extractable sugar movement | 2    | SCH0003740    | MOTOR FILTER                 | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 3    | ELE0001522    | MICROSWITCH                  | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 10   | Z0380010421   | GEARBOX MOTOR SHAFT          | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 11   | Z0380010831   | BUSH 20x4                    | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 12   | Z0380011411   | DISK                         | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 13   | Z0200001011   | BEARING                      | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 14   | Z0200001012   | PIN BEARING                  | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 28   | Z0380010431   | SPRING                       | X        |                        |    |    | X    | 1                                                                         | 2     | 2   |
| extractable sugar movement | 30   | Z0380011229NA | SUGAR CHUTE                  | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| extractable sugar movement | 31   | Z0380010424NA | SUGAR SPLITTER               | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| extractable sugar movement | 32   | Z0380010599   | NOZZLE MOVEMENT BUTTON       | X        |                        |    |    |      | 1                                                                         | 2     | 2   |
| extractable sugar movement | 34   | Z0380011551NA | NOZZLES HOLDER               | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| extractable sugar movement | 35/a | Z0380011665EB | COFFEE NOZZLE RAL8019        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| extractable sugar movement | 35/b | Z0380011666CK | MILK NOZZLE (RAL7037)        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| extractable sugar movement | 35/c | Z0380011667MD | THE NOZZLE RAL6032           | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| extractable sugar movement | 35/d | Z0380010657NA | ESPRESSO NOZZLE D. 5,7       | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| Fixed sugar movement       | 7    | Z0380011551NA | NOZZLES HOLDER               | X        |                        |    |    |      | 1                                                                         | 1     | 2   |
| Fixed sugar movement       | 13   | Z0380011665EB | COFFEE NOZZLE RAL8019        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| Fixed sugar movement       | 14   | Z0380011667MD | THE NOZZLE RAL6032           | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| Fixed sugar movement       | 16   | Z0380011666CK | MILK NOZZLE (RAL7037)        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |
| Fixed sugar movement       | 17   | Z0380011665EB | COFFEE NOZZLE RAL8019        | X        | CK                     | CK | CK | CK   | 1                                                                         | 2     | 2   |

|                                |      |               |                                 |          | Preventive Maintenance |    |    |    | Recommended Spare Parts (considering the number of vending machines) (*1) |       |     |
|--------------------------------|------|---------------|---------------------------------|----------|------------------------|----|----|----|---------------------------------------------------------------------------|-------|-----|
| Table                          | Pos. | Code          | Description                     | Critical | A                      | B  | C  | D  | 1-10                                                                      | 11-50 | >51 |
| PRO BREWER SUPPORT+MOTOR       | 2    | ELE0001522    | MICROSWITCH                     | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 6    | ELE0000931    | PROBE NTC 10K/TE                | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 10   | ELE000467-02  | FAN HEATER 24V DC + BOARD       | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 16   | TTEF02/04T    | PTFE PIPE 2X4                   | X        | Y                      | Y  | Y  |    | 1                                                                         | 1     | 1   |
| PRO BREWER SUPPORT+MOTOR       | 19   | GUA0000061    | OR 2010 VITON 80 BLACK          | X        | CK                     | CK | X  | X  | 1                                                                         | 2     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 20   | Z0090002250R  | \$ VARIFLEX BREW. GEARBOX MOTOR | X        |                        |    | CK | X  | 1                                                                         | 1     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 29   | VIT0009324    | BEARING                         | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 30   | VIT0009320    | BEARING                         | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| PRO BREWER SUPPORT+MOTOR       | 100  | Z0250014086R  | \$ WATER INLET TUBE 0,15 mt     | X        | CK                     | Y  | Y  | Y  | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | A    | Z0250014008R  | \$ CHUTE D. 45                  | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 1    | Z0250014081   | SPRING                          | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | B    | Z0250014022R  | \$ INFUSION CHAMBER D.45        | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.45 | C    | Z0250014024R  | \$ BRUSH D.45                   | X        | X                      | X  | X  | X  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | D    | Z0250014028R  | \$ LOWER FILTER HOLDER D.45     | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.45 | 3    | GUA0000097    | OR 4131 RED SILICONE LSR70      | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 4    | Z0250014029   | COFFEE FILTER DIAM. 37.3        | X        | CK                     | Y  | Y  | Y  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 7    | GUA0000103    | OR 3075 SILICON                 | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | F    | Z0250014045R  | \$ UPPER FILTER HOLDER D.45     | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.45 | 10   | Z0250008211   | COFFEE FILTER 37,3              | X        | CK                     | Y  | Y  | Y  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 12   | GUA0000045    | OR 108 VITON 80 BLACK           | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 13   | GUA0000097    | OR 4131 RED SILICONE LSR70      | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 14   | Z0250014048   | SPRING                          | X        | CK                     | X2 | X2 | X2 | 2                                                                         | 4     | 4   |
| PROFESSIONAL BREWER GROUP D.45 | 17   | GUA0000004    | OR 104 NBR AL 75 BLACK          | X        | CK                     | X  | X  | X  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | H    | Z0250014020R  | \$ INFUSION CHAMBER D.45        | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.45 | 19   | VIT0009320    | BEARING                         | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 30   | VIT0009318    | SPACER WASHER                   | X        |                        |    |    | CK | 2                                                                         | 2     | 4   |
| PROFESSIONAL BREWER GROUP D.45 | 31   | VIT0009317    | BEARING                         | X        |                        |    |    | CK | 2                                                                         | 2     | 4   |
| PROFESSIONAL BREWER GROUP D.45 | 32   | GUA0001007    | V RING GASKET VA16              | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | N    | Z0250008132CL | \$ COFFEE OUTLET PIPE           | X        |                        | X  |    |    | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.45 | 100  | Z0250014000CL | COFFEE BREWER VARIFLEX D 45     | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | A    | Z0250014033R  | \$ CHUTE D. 36                  | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 1    | Z0250014081   | SPRING                          | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | B    | Z0250014032R  | \$ INFUSION CHAMBER D.36        | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.36 | C    | Z0250014034R  | \$ BRUSH D.36                   | X        | X                      | X  | X  | X  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | D    | Z0250014038R  | \$ LOWER FILTER HOLDER D.36     | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.36 | 3    | GUA0000080    | OR 4112 RED SILICONE LSR70      | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 4    | Z0250008019   | COFFEE FILTER                   | X        | CK                     | Y  | Y  | Y  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 7    | GUA0000103    | OR 3075 SILICON                 | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | F    | Z0250014040R  | \$ UPPER FILTER HOLDER D.36     | X        |                        |    |    |    |                                                                           |       |     |
| PROFESSIONAL BREWER GROUP D.36 | 10   | Z0250008099   | COFFEE FILTER 33,4              | X        | CK                     | Y  | Y  | Y  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 12   | GUA0000045    | OR 108 VITON 80 BLACK           | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 13   | GUA0000080    | OR 4112 RED SILICONE LSR70      | X        | CK                     | Y* | Y* | Y* | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 14   | Z0250014048   | SPRING                          | X        | CK                     | X2 | X2 | X2 | 2                                                                         | 4     | 4   |
| PROFESSIONAL BREWER GROUP D.36 | 17   | GUA0000004    | OR 104 NBR AL 75 BLACK          | X        | CK                     | X  | X  | X  | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | H    | Z0250014030R  | \$ CHAMBER D.36                 | X        |                        |    |    |    |                                                                           |       |     |

|                                |      |                  |                                |          | Preventive Maintenance |    |    |    | Recommended Spare Parts (considering the number of vending machines) (*1) |       |     |
|--------------------------------|------|------------------|--------------------------------|----------|------------------------|----|----|----|---------------------------------------------------------------------------|-------|-----|
| Table                          | Pos. | Code             | Description                    | Critical | A                      | B  | C  | D  | 1-10                                                                      | 11-50 | >51 |
| PROFESSIONAL BREWER GROUP D.36 | 19   | VIT0009320       | BEARING                        | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 30   | VIT0009318       | SPACER WASHER                  | X        |                        |    |    | CK | 2                                                                         | 2     | 4   |
| PROFESSIONAL BREWER GROUP D.36 | 31   | VIT0009317       | BEARING                        | X        |                        |    |    | CK | 2                                                                         | 2     | 4   |
| PROFESSIONAL BREWER GROUP D.36 | 32   | GUA0001007       | V RING GASKET VA16             | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | N    | Z0250008132CL    | § COFFEE OUTLET PIPE           | X        |                        | X  |    |    | 1                                                                         | 2     | 2   |
| PROFESSIONAL BREWER GROUP D.36 | 100  | Z0250014060CL    | § COFFEE BREWER VARIFLEX D.36  | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| VARITHERM SUPPORT              | 3/a  | Z0110004063      | PUMP EP5 230V 50HZ             | X        |                        | CK | X  |    | 1                                                                         | 2     | 2   |
| VARITHERM SUPPORT              | 3/b  | Z0110004067      | PUMP EP5 220V 60HZ             | X        |                        | CK | X  |    | 1                                                                         | 2     | 2   |
| VARITHERM SUPPORT              | 4    | ELE0000915       | PUMP THERMOPROTECTOR           | X        |                        |    |    |    | 1                                                                         | 1     | 1   |
| VARITHERM SUPPORT              | 5    | Z0110004023      | CONNECTOR                      | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| VARITHERM SUPPORT              | 6    | Z0100003022      | T CONNECTOR 461 TS UL          | X        |                        |    |    |    | 2                                                                         | 1     | 2   |
| VARITHERM SUPPORT              | 7    | Z0110001151R     | VALVE 3W W/BY-PASS 11BAR       | X        |                        | CK | X* |    | 1                                                                         | 2     | 3   |
| VARITHERM SUPPORT              | 9    | GUA0000043       | OR 109 NBR AL 75 BLACK         | X        |                        |    |    | X  | 2                                                                         | 2     | 4   |
| VARITHERM SUPPORT              | 16   | Z0110001140      | VALVE 2W 24V DC 6W             | X        |                        | CK | X* |    | 1                                                                         | 2     | 3   |
| VARITHERM                      | 1/a  | Z0600019900R     | § VARITHERM INDUCTION SYS. TT  | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| VARITHERM                      | 2    | Z0100001158      | FITTING ELBOW D6-D6            | X        |                        |    |    |    | 2                                                                         | 4     | 4   |
| VARITHERM                      | 3    | ELE0000986       | PROBE                          | X        |                        |    |    |    |                                                                           |       |     |
| VARITHERM                      | 4    | ELE0000987       | CLIXSON 105°                   | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| VARITHERM                      | 10   | Z0100001156      | FITTING ELBOW D6-D6            | X        |                        |    |    |    | 2                                                                         | 4     | 4   |
| VARITHERM                      | 13   | Z0110001130      | VALVE 2WX3INLET 24V DC 6W      | X        |                        | CK | X* |    | 1                                                                         | 2     | 3   |
| VARITHERM                      | 19   | Z0110001140      | VALVE 2W 24V DC 6W             | X        |                        | CK | X* |    | 1                                                                         | 2     | 3   |
| VARITHERM                      | 22   | Z0110001145      | VALVE 3WAY 5W 24V DC           | X        |                        | CK | X* |    | 1                                                                         | 2     | 3   |
| GRINDER                        | 3    | VIT0009325       | BEARING                        | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| GRINDER                        | 4    | Z0320001608R     | TRANSMISSION WHEEL             | X        |                        |    |    | CK | 1                                                                         | 2     | 2   |
| GRINDER                        | 7    | Z0320001704      | GRINDER ROTATION PIN REINFORCE | X        |                        | CK | CK | CK | 10                                                                        | 20    | 20  |
| GRINDER                        | 8    | Z0320001636      | EJECTOR                        | X        |                        |    | CK |    | 1                                                                         | 1     | 2   |
| GRINDER                        | 10   | Z0320001680      | CONIC BLADES PLUS              | X        |                        | CK |    | X  | 1                                                                         | 1     | 2   |
| GRINDER                        | 16   | GUA0000124       | SILICONE OR 2137               | X        |                        | X  |    |    | 1                                                                         | 2     | 2   |
| GRINDER                        | 24   | Z0090003047      | GRINDER MOTOR 230V DC          | X        |                        |    |    | CK | 1                                                                         | 2     | 2   |
| GRINDER                        | 27   | Z0320004736-04   | GRINDER CHUTE R.2011           | X        |                        |    |    |    | 1                                                                         | 2     | 4   |
| GRINDER                        | 100  | Z0320001601CL3AL | §GRINDER VRFX 15° BREWER PLUS  | X        |                        |    |    | CK | 1                                                                         | 2     | 2   |
| VARIGRIND                      | 3    | VIT0009325       | BEARING                        | X        |                        |    |    | CK | 1                                                                         | 1     | 2   |
| VARIGRIND                      | 4    | Z0320001608R     | TRANSMISSION WHEEL             | X        |                        |    |    | CK | 1                                                                         | 2     | 2   |
| VARIGRIND                      | 7    | Z0320001704      | GRINDER ROTATION PIN REINFORCE | X        |                        | CK | CK | CK | 10                                                                        | 20    | 20  |
| VARIGRIND                      | 8    | Z0320001636      | EJECTOR                        | X        |                        |    | CK |    | 1                                                                         | 1     | 2   |
| VARIGRIND                      | 10   | Z0320001680      | CONIC BLADES PLUS              | X        |                        | CK |    | X  | 1                                                                         | 1     | 2   |
| VARIGRIND                      | 16   | GUA0000124       | SILICONE OR 2137               | X        |                        | X  |    |    | 1                                                                         | 2     | 2   |
| VARIGRIND                      | 24   | Z0090003047      | GRINDER MOTOR 230V DC          | X        |                        |    |    | CK | 1                                                                         | 2     | 2   |
| VARIGRIND                      | 27   | Z0320004736-04   | GRINDER CHUTE R.2011           | X        |                        |    |    |    | 1                                                                         | 2     | 4   |
| VARIGRIND                      | 32   | Z0090002042R     | § GEAR MOTOR 2,2RPM24VDC+FILT  | X        |                        |    |    |    | 1                                                                         | 1     | 1   |
| VARIGRIND                      | 33   | SCH0003740       | MOTOR FILTER                   | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| VARIGRIND                      | 41   | Z0320001657      | GRINDER BELT                   | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| VARIGRIND                      | 100  | Z0320001671CL3   | §VARIGRINDER VARIFLEX 15°      | X        |                        |    |    | CK | 1                                                                         | 2     | 2   |
| water inlet panel              | 3    | Z0110020007      | PLASTIC FILTER DIAM. 20        | X        |                        |    | X  |    | 1                                                                         | 1     | 1   |
| water inlet panel              | 4/a  | TSIL07/11T-10    | SILICON HOSE 7X11 MT.10        | X        | Y                      | Y  | Y  | Y  | 1                                                                         | 1     | 2   |

|                        |      |                |                                |          | Preventive Maintenance |    |    |    | Recommended Spare Parts (considering the number of vending machines) (*1) |       |     |
|------------------------|------|----------------|--------------------------------|----------|------------------------|----|----|----|---------------------------------------------------------------------------|-------|-----|
| Table                  | Pos. | Code           | Description                    | Critical | A                      | B  | C  | D  | 1-10                                                                      | 11-50 | >51 |
| water inlet panel      | 7    | Z0800009211    | ELBOW CONNECTOR                | X        |                        |    |    | X  | 1                                                                         | 1     | 2   |
| water inlet panel      | 8    | GUA0000043     | OR 109 NBR AL 75 BLACK         | X        |                        |    |    | X  | 2                                                                         | 2     | 4   |
| water inlet panel      | 9    | Z0110007003    | VOLUMETRIC COUNTER             | X        | CK                     | CK | CK | X  | 1                                                                         | 1     | 2   |
| water inlet panel      | 12   | Z0800013046    | AIR BREAK WASTE FLOAT          | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| water inlet panel      | 13   | GUA0000082     | SILICON GASKET D.6             | X        |                        | CK |    | CK | 1                                                                         | 2     | 2   |
| water inlet panel      | 14   | ELE0001514     | MICROSWITCH 3A 125-250VA       | X        |                        |    | CK | X  | 1                                                                         | 2     | 2   |
| water inlet panel      | 16   | ELE0000985     | PROBE 135xD.4                  | X        | CK                     | CK | CK | CK | 1                                                                         | 1     | 2   |
| coffee beans container | 2/a  | ELE0001522CL   | § MICROSWITCH + LEVER + FASTON | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| coffee beans container | 2/b  | ELE0001535CLR  | §MICROSWITCH GRINDER SAFETY    | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| coffee beans container | 10   | ELE0001911     | MICROSWITCH LEVER              | X        |                        |    | X  |    | 1                                                                         | 1     | 2   |
| products container     | 2    | Z0230030236AB  | § WHEEL MM54                   | X        |                        | CK |    | X  | 2                                                                         | 2     | 4   |
| products container     | 4    | GUA0000083     | OR 123 RED SILICONE A70        | X        |                        | CK |    | X  | 2                                                                         | 2     | 4   |
| products container     | 5/a  | Z0230030014    | SPIRAL 18                      | X        |                        |    |    |    |                                                                           |       |     |
| products container     | 5/b  | Z0230030013    | SPIRAL 9                       | X        |                        |    |    |    |                                                                           |       |     |
| products container     | 7    | Z0230030011    | REAR BUSH                      | X        |                        |    | CK | X  | 1                                                                         | 1     | 1   |
| products container     | 8    | Z0230030234    | § CANISTER 110-265 W/PIN       | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 9    | Z0230030237AB  | § WHEEL MM110                  | X        |                        | CK |    | X  | 2                                                                         | 2     | 4   |
| products container     | 10/a | Z0230030064    | AGITATOR 112 - RIGHT OUTLET    | X        |                        | CK | CK | X  | 1                                                                         | 1     | 1   |
| products container     | 10/b | Z0230030062    | AGITATOR 112 - LEFT OUTLET     | X        |                        | CK | CK | X  | 1                                                                         | 1     | 1   |
| products container     | 14/a | Z0230030198R   | § INGRED. CHUTE-RIGHT ORANGE   | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| products container     | 14/b | Z0230030187R   | § INGREDIENT CHUTE-RIGHT RED   | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| products container     | 15/a | Z0230030197R   | § INGREDIENT CHUTE-LEFT ORANGE | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| products container     | 15/b | Z0230030186R   | § INGREDIENT CHUTE-LEFT RED    | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| products container     | 16/a | Z0230030199R   | § INGRED. CHUTE-FRONTALORANGE  | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| products container     | 16/b | Z0230030188R   | § INGREDIENT CHUTE-FRONTAL RED | X        |                        |    |    |    | 1                                                                         | 2     | 2   |
| products container     | 17   | Z0230030060-05 | PRODUCT AGITATOR               | X        |                        | CK | CK | X  | 1                                                                         | 1     | 1   |
| products container     | 18   | Z0230030239    | WHEEL PIN FORK                 | X        |                        |    |    |    | 2                                                                         | 2     | 4   |
| products container     | 19   | Z0230030238-02 | WHEEL PIN                      | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 102  | Z0230030250R   | § CANIS. 54-265 WHEEL18 W/LID  | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 103  | Z0230030251R   | § CANIS. 54-265 WHEEL9 W/LID   | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 104  | Z0230030254R   | § CANIS. 54-265 SPIRAL9 W/LID  | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 105  | Z0230030260R   | § CAN. 110-265 AGIT.18 W/LID-R | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 107  | Z0230030262R   | § CAN. 110-265 AGIT.18 W/LID-L | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| products container     | 108  | Z0230030233R   | § CANISTER 54-265              | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| WIRINGS                | 14   | CBLXSC0007     | DOOR WIRING 24V                | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| STM 32 BOARD           | 1    | BRD05003       | POWER BOARD TT 220V            | X        |                        |    |    |    | 1                                                                         | 1     | 2   |
| STM 32 BOARD           | 100  | BRD05003R      | §BOARD CARR.+SOM+POWER TT 220V | X        |                        |    |    |    | 1                                                                         | 1     | 2   |

